VOLUME 50 • AUTHOR INDEX

Abbasi AM *see* Ilyas M *et al*
Afeltra A *see* Amoroso A *et al*
Aguirre-Arteta A *see* Chetty R *et al*
Ahmed E-FEM *see* Al-Attas RA *et al*
Ajioka Y *et al*. MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**
Akenami FOT *et al*. Cerebrospinal fluid plasminogen activator inhibitor-1 in patients with neurological disease, **157**
Alansari N *see* Cunney RJ *et al*
Al-Attas RA *et al*. Common variable immunodeficiency with CD4+ T lymphocytopenia and overproduction of soluble IL-2 receptor associated with Turner's syndrome and dorsal kyphoscoliosis, **876**
Allasia C *see* Charpin C *et al*
Allen DC *see* Kettle P and Allen DC
see McCluggage WG and Allen DC
see McCluggage WG *et al*
Altermatt HJ *see* Hunger RE *et al*
Alvarez V *see* González MV *et al*
Alyusuf R *see* Kay EW *et al*
Amess JA *see* Nguyen DT *et al*
Ämmälä P *see* Gencay M *et al*
Amorim AMS *see* Coutinho HB *et al*
Amoroso A *et al*. Hashimoto's thyroiditis associated with urticaria and angio-oedema: disappearance of cutaneous and mucosal manifestations after thyroidectomy, **254**
Anderson JJ *see* Thomas MD *et al*
Andrac L *see* Charpin C *et al*
Andrew SM, Benbow EW. Conversion of a traditional image archive into an image resource on compact disc, **544**
André S *see* Pinto AE *et al*
Angel CA *see* Snowden JA *et al*
Angus B *see* Thomas MD *et al*
Ansari NA, Derias NW. Fine needle aspiration cytology: *leader*, **541**
Ansink AC *et al*. The hormonal receptor status of uterine carcinosarcomas (mixed Müllerian tumours): an immunohistochemical study, **328**
Anthony A *et al*. Ulceration of the ileum in Crohn's disease: correlation with vascular anatomy, **1013**
Antonângelo L *see* Capelozzi VL *et al*
Aoi T *see* Ikeda S-I *et al*
Aoyagi K *see* Hizawa K *et al*
Aractingi S *et al*. Langerhans' cells are depleted in chronic graft versus host disease, **305**
Archbold GPR *see* McMillan SA *et al*
Armour A. Dilutional hyponatraemia: a cause of massive fatal intraoperative cerebral oedema in a child undergoing renal transplantation, **444**
Artimez ML *see* González MV *et al*
Asgari M *see* Ghadjari A *et al*
Athanasou NA *see* Neale SD *et al*
Augusto L *see* Botega NJ *et al*
Axon ATR *see* Moayyedi P *et al*

Baak JPA *see* Meijer GA *et al*
Baay MFD *et al*. Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Back W *et al*. Expression of tenascin in lymphocytic autoimmune thyroiditis, **863**
Baglin TP *et al*. Fatal pulmonary embolism in hospitalised medical patients, **609**
Bahon J *et al*. Colonic obstruction and perforation related to heavy *Trichuris trichiura* infestation, **615**
Bailey E *see* Harper SJ *et al*
Baldet P *see* Costes V *et al*
Ball SG *see* Hancock MR *et al*
Balsitis M *see* Jenkins D *et al*
Banham AH *et al*. The plasma cell associated antigen detectable by antibody VS38 is the p63 rough endoplasmic reticulum protein, **485**
Barbareschi M *see* Doglioni C *et al*
Bardhan PK *see* Islam D *et al*
Bardus P *see* Pirisi M *et al*
Barrans SL *see* Blythe D *et al*
Bartels PH *see* Montironi R *et al*
Bartoli E *see* Pirisi M *et al*
Baslamisli F *see* Paydas S *et al*
Bass PS *see* Lwaleed BA *et al*
Bateman AC *et al*. Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing, **288**
Bates C *see* Gledhill A *et al*
Batstone G. Practising by the evidence: the role of pathology: *editorial*, **447**
Bayle C *see* Lagrange M *et al*
Becciolini A *see* Pirami L *et al*
Bedossa P *see* Paradis V *et al*
Beliën JAM *see* Meijer GA *et al*
Bell J *see* Binks S *et al*
Beltrami CA *see* di Loreto C *et al*
Benbow EW *see* Andrew SM and Benbow EW
see Karunaratne S and Benbow EW
Bergqvist A *et al*. Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
Berney DM *et al*. Angiolymphoid hyperplasia with eosinophilia in the colon: a novel cause of rectal bleeding, **611**
Berns E *see* van Diest PJ *et al*
Bernstein CN *et al*. Histological patchiness and sparing of the rectum in ulcerative colitis: refuting the dogma: *correspondence*, **354**
Berry C. The Gulf War Syndrome: *editorial*, **360**
Bhathal PS *see* Hughes NR and Bhathal PS
Biffin AHB *see* Bull AD *et al*
Billingham LJ *see* Jian W-G *et al*
Binks S *et al*. p53 gene product expression in resected non-small cell carcinoma of the lung, with studies of concurrent cytological preparations and microwave antigen retrieval, **320**
Bitti A *et al*. A fatal postpartum *Clostridium sordellii* associated toxic shock syndrome, **259**
Blair E *see* Molyneux AJ *et al*
Bleyl U *see* Back W *et al*
Block C. Benefits and limitations of computerised laboratory data: *editorial*, **448**
Bloget F *see* Leroy X *et al*
Blythe D *et al*. Use of methyl methacrylate resin for embedding bone marrow trephine biopsy specimens, **45**
Bobrow LG *see* Lee AHS *et al*
Boldorini R *et al*. Hepatic histology of patients with HIV infection and chronic hepatitis C treated with interferon, **735**
Bolodeoku J *see* Olukoga AO *et al*
Bonnier P *see* Charpin C *et al*
Book reviews Anthony PP, MacSween RNM, Lowe DG, *editors*. Recent Advances in Histopathology, **972**
Bain BJ, Clark DM, Lampert IA. Bone Marrow Pathology., **622**
Bass P, DuBoulay C. Pathology: A Core Text of Basic Pathological Processes with Self-assessment, **971**
Blau N, Duran M, Blaskovics ME, *editors*. Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases, **797**
Burkitt HG, Stevens A, Lowe JS, Young B. Wheater's Basic Histopathology, **883**
Burnett D. Understanding Accreditation in Laboratory Medicine, **709**
Cowan BD, Seifer DB, *editors*. Clinical Reproductive Medicine, **797**
Crum CP, Cibas ES, Lee KR. Pathology of Early Cervical Neoplasia, **883**
Day DW, Dixon MF. Biopsy Pathology of the Oesophagus, Stomach and Duodenum, **177**
Esiri MM. Oppenheimer's diagnostic neuropathy: a practical manual, **177**
Flanagan R, Braithwaite R, Brown S, Widdop B, de Wolff F. Basic analytical toxicology, **177**
Fox H, Wells M, *editors*. Haines and Taylor Obstetrical and Gynaecological Pathology, **621**
Gardner D, Tweedle D. Pathology for Surgeons in Training: an A to Z, **88**
Goldman H. Gastrointestinal Mucosal Biopsy, **356, 710**
Graham D, Lantos P, *editors*. Greenfield's Neuropathology, **798**
Harcourt Brace. Saunders Electronic Atlas of Dermatology, **88**
Holland JF, Bast Jr RC, Morton DI, Frei E III, Kufe DW, *editors*. Cancer medicine, **357**
Holland JF, Bast RC Jr, Morton DI, Frei E III, Kufe DW, Weichselbaum RR, *editors*. Cancer Medicine, **709**
Leong AS-Y. Principle and Practice of Medical Laboratory Science, **621**
Magno G, Joris I. Cells Tissues and Disease, **710**
O'Grady F, Lambert HP, Finch RG, Greenwood D, *editors*. Antibiotic and Chemotherapy, **1036**
Parums DV, *editor*. Essential Clinical Pathology, **971**
Petz LD, Swisher SN, Kleinman S, Spence RK, Strauss RG, *editors*. Clinical Practice of Transfusion Medicine, **621**
Remington J, Swartz M, *editors*. Current Clinical Topics in Infectious Diseases, **356**
Richardson MD, Warnock DW, Campbell CK. Slide Atlas of Fungal Infections, **356**
Rosen PP, *editor*. Rosen's Breast Pathology, **1036**
Seifret G, *editor*. Oral Pathology—Actual Diagnostic and Prognostic Aspects, **357**
Sheffield E. Pathology in Dentistry, **797**

Smith H. Diagnosis of Paediatric Haematology, **1036**
Underwood JCE, Cotton DWK, Cross SS, Stephenson TJ. Case studies in general and systematic pathology, **177**
Underwood JCE, *editor*. General and systematic pathology, **177**
Wanebo HJ, *editor*. Surgery for Gastrointestinal Cancer. A Multidisciplinary Approach, **972**
Weiss LM, *editor*. Pathology of the Lymph Nodes. Contemporary Issues in Surgical Pathology, **882**
Boon ME *see* Vardaxis NJ *et al*
Botega NJ *et al*. Attitudes of medical students to necropsy, **64**
Bourcier C *see* Lagrange M *et al*
Bourgeois S *see* Mewis A *et al*
Bouvier C *see* Charpin C *et al*
Boyde AM *et al*. Lessons for the laboratory from a general practitioner survey, **283**
Bradbury RD *see* Blythe D *et al*
Brain CE *see* Street ME *et al*
Bramdev A *see* Chetty R *et al*
Brink AATP *et al*. Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**
Brinkmann B *see* Pfeiffer H *et al*
Brochier J *see* Costes V *et al*
Brogan O *et al*. Lancefield grouping and smell of caramel for presumptive identification and assessment of pathogenicity in the *Streptococcus milleri* group, **332**
Brown CL *see* Berney DM *et al*
Brown D *see* Yashima K *et al*
Brown JD *see* Catchpole CR *et al*
Brown JSC *see* Zidan A *et al*
Brown T *see* Harper SJ *et al*
Bruggeman CA *see* Hendrix RMG *et al*
Bull AD *et al*. Colorectal cancer pathology reporting: a regional audit, **138**
Burger MPM *see* Baay MFD *et al*
Burnett RA *see* Stephen MR *et al*
Burnie JP *see* Ghadjari A *et al*
Burrin JM *see* Boyde AM *et al*
Burrows C *see* Roberts ISD *et al*
Burtonboy G *see* Gala J-L *et al*
Byers RJ *et al*. Differential patterns of osteoblast dysfunction in trabecular bone in patients with established osteoporosis, **760**

Cabaret V *see* Leroy X *et al*
Cadman B *et al*. Value of routine, non-targeted biopsies in the diagnosis of gastric neoplasia, **832**
Camacho-Hübner C *see* Street ME *et al*
Camby P *see* Gala J-L *et al*
Capelozzi VL *et al*. Quantitation in inflammatory pleural disease to distinguish tuberculous and paramalignant from chronic non-specific pleuritis, **935**
Cargnel A *see* Boldorini R *et al*
Carosella E *see* Aractingi S *et al*
Carter N *see* Rutty GN *et al*
Carter R *see* Wright D *et al*
Cartledge JD *et al*. Itraconazole solution: higher serum drug concentrations and better clinical response rates than the capsule formulation in acquired immunodeficiency syndrome patients with candidosis, **477**
Cas ED *see* Bahon J *et al*
Castro-Forns M *see* Masmiquel L *et al*
Catchpole CR *et al*. Use of prototype automated blood culture system and gas-liquid chromatography for the analysis of continuous ambulatory peritoneal dialysis associated infection, **241**
Cavazzini L *see* Gafà R *et al*
Cavenagh JD *see* Nguyen DT *et al*
Chadwick L *see* Hopster DJ *et al*
Chadwick PR *see* Chandiok S *et al*
Chan KW *et al*. Prevalence of six types of human papillomavirus in inverted papilloma and papillary transitional cell carcinoma of the bladder: an evaluation by polymerase chain reaction, **1018**
Chan TK *see* Woo PCY *et al*
Chan YC *see* Chow VTK *et al*
Chandiok S *et al*. Screening for bacterial vaginosis: a novel application of artificial nose technology, **790**
Chang B *see* Mayall F *et al*
Chang H-Y *et al*. Correlation of fine needle aspiration cytology and frozen section biopsies in the diagnosis of thyroid nodules, **1005**
Charles A *see* Baglin TP *et al*
Charlotte F *see* Paradis V *et al*
Charnock M *see* Gorham H *et al*
Charpin C *et al*. Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall and disease free survival, **586**
Chart H *et al*. Serological response of patients infected with *Salmonella typhi* , **944**
Chaudhry R *et al*. Standardisation of polymerase chain reaction for the detection of *Salmonella typhi* in typhoid fever, **437**
Cheasty T *see* Threlfall EJ *et al*
Cheesbrough JS *see* Chart H *et al*
Chen J-F *see* Chang H-Y *et al*
Cheng AFB *see* Houang ETS *et al*
Chenut F *see* Gala J-L *et al*
Cherchi GB *see* Bitti A *et al*
Chetty R *see* Govender D and Chetty R
see Govender D *et al*
Chetty R *et al*. Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix, **413**
Cheung F *see* Lam KY *et al*
Chiarelli C *see* Doglioni C *et al*
Chisholm M *see* Lwaleed BA *et al*
Chisuwa H *see* Ikeda S-I *et al*
Chiu EKW *see* Woo PCY *et al*
Cho Y *see* Yamamoto R *et al*
Choufani G *see* Hassid S *et al*
Chow VTK *et al*. Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
Christeff N *et al*. Effect of interferon α on high serum androgen concentrations in HIV positive men with Kaposi's sarcoma, **341**
Christensson B *see* Islam D *et al*
Chu KC *see* Houang ETS *et al*
Clelland CA *see* Binks S *et al*
Clynes M *see* Moran E *et al*
Cohen H *see* Taylor FC *et al*
Colanzi P *see* Montironi R *et al*
Colecchia M *et al*. Detection of apoptosis by the TUNEL technique in clinically localised prostatic cancer before and after combined endocrine therapy, **384**
Coleman N *see* Molyneux AJ *et al*
Colloi D *see* Colecchia M *et al*
Constable S *see* Crook M *et al*
Cook HC. Tinctorial methods in histology: *leader*, **716**
Cook MG. Diagnosis of thin melanoma: *correspondence*, **619**
Cooke RPD, Jenkins CT. Comparison of commercial slide agglutination kits with a tube coagulase test for the rapid identification of *Staphylococcus aureus* from blood culture, **164**
Cooper ES *et al*. Plasma proteins in children with trichuris dysentery syndrome, **236**
Cooper K *see* Nayler SJ and Cooper K
see Sur M *et al*
Cooper K *et al*. Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**
Cosano A *see* Sánchez J *et al*
Costa LAR *see* Botega NJ *et al*
Costagliola D *see* Christeff N *et al*
Costanzi G *see* Boldorini R *et al*
Costes V *et al*. Expression of the interleukin 6 receptor in primary renal cell carcinoma, **835**
Coto E *see* González MV *et al*
see González MV *et al*
Cotterill AM *see* Street ME *et al*
Coutinho HB *et al*. Intra-abdominal sepsis: an immunocytochemical study of the small intestine mucosa, **294**
Coutinho VB *see* Coutinho HB *et al*
Cox DE *et al*. Alcohol estimation at necropsy: epidemiology, economics, and the elderly, **197**
Cox RA. *Haemophilus influenzae*: an underrated cause of vulvovaginitis in young girls, **765**
Coyne J *see* Dey P *et al*
Coyne JD *et al*. Involvement of the appendix in pseudomembranous colitis, **70**
Craig S *see* Dufty JMK *et al*
Craig S *et al*. Local INR correction: justification for a simplified approach, **783**
Crawley BA *see* Chandiok S *et al*
CRC Melanoma Pathology Panel. A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**
Creisson A *see* Lagrange M *et al*
Creusy C *see* Bahon J *et al*
Crook M *et al*. Elevated serum sialic acid in pregnancy, **494**
Cross PA *see* Ansink AC *et al*
Crowley M *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Cruvinel A *see* Botega NJ *et al*
Cullinane C *see* O'Leary JJ *et al*
Culora GA, Moore IE. Kawasaki disease, Epstein-Barr virus and coronary artery aneurysms, **161**
Cunney RJ *et al*. The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**

DaCosta P *see* Gledhill A *et al*
Dada M *see* Govender D *et al*
Dada MA *see* O'Leary JJ *et al*
Daish P *see* Molyneux AJ *et al*
Dalle MT *see* Christeff N *et al*
Damante G *see* di Loreto C *et al*
Danguy A *see* Hassid S *et al*
Dankert J *see* Schultsz C *et al*
Darlington A *see* Mayall F *et al*
Darnton SJ *see* Jian W-G *et al*

Darzi A *see* Lloyd J *et al*
Das I *et al*. Endocarditis caused by *Haemophilus parainfluenzae* identified by 16S ribosomal RNA sequencing, **72**
Daszak P *et al*. Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
Dauge-Geffroy MC *see* Aractingi S *et al*
Davidson LA, Reid IN. Intrahepatic splenic tissue, **532**
Davies S, Zadik PM. Comparison of methods for the isolation of methicillin resistant *Staphylococcus aureus*, **257**
Dawance S *see* Hassid S *et al*
Dearlove O *see* Bernstein CN *et al*
de Barros Lopes A *see* Ansink AC *et al*
Decaestecker C *see* Hassid S *et al*
de Carvalho CRR *see* Capelozzi VL *et al*
de Carvalho TS *see* Capelozzi VL *et al*
Degaute M-P *see* Hassid S *et al*
de Giovanni JV *see* Das I *et al*
Deheinzelin D *see* Capelozzi VL *et al*
del Boca C *see* Colecchia M *et al*
del Forno M *see* Pirisi M *et al*
Delabesse E *et al*. Molecular analysis of clonality in Kaposi's sarcoma, **664**
Delferrière N *see* Gala J-L *et al*
Delobelle A *see* Leroy X *et al*
Demirhan B *et al*. Primary extramedullary plasmacytoma of the liver, **74**
Denton J *see* Byers RJ *et al*
de Pooter C *see* Tjalma W *et al*
Derias NW *see* Ansari NA and Derias NW
Dervan PA *see* Coyne JD *et al*
de Torres I *see* Masmiquel L *et al*
Deugnier Y *see* Turlin B and Deugnier Y
de Vico G *see* Maiolino P and de Vico G
Dey P *et al*. Completeness of reporting on prognostic factors for breast cancer: a regional survey, **829**
Dhillon AP *see* Anthony A *et al*
see Daszak P *et al*
Diamond LW *see* Nguyen DT *et al*
Dickens A *see* Gillespie SH *et al*
DiGiuseppe JA, Kastan MB. Apoptosis in haematological malignancies: *leader*, **361**
di Lauro V *see* di Loreto C *et al*
di Lollo S *see* Dionisio D *et al*
di Loreto C *et al*. Immunocytochemical expression of tissue specific transcription factor-1 in lung carcinoma, **30**
Dionisio D *et al*. *Enterocytozoon bieneusi* in AIDS: symptomatic relief and parasite changes after furazolidone, **472**
Dixon MF *see* Cadman B *et al*
see Jenkins D *et al*
see Moayyedi P *et al*
Dobbins BM *see* Kite P *et al*
Doğan A *see* Demirhan B *et al*
Doglioni C *et al*. HpSS: a new silver staining method for *Helicobacter pylori* , **461**
Doherty G *see* Moran E *et al*
Donaldson D *see* Olukoga AO *et al*
Donnelly C *see* Tong CYW *et al*
Douglas JP *see* McMillan SA *et al*
Doyle CT *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Drobniewski FA, Yates MD. Multiple drug resistant tuberculosis: *editorial*, **89**
Drucker DB *see* Sayers NM *et al*
du Boulay CD. Learning pathology: why? how? when?: *editorial*, **623**
du Boulay CD. Continuing medical education for pathologists: an evaluation of the Royal College of Pathologists' Wessex pilot scheme, **1022**
Dubertret L *see* Aractingi S *et al*
Dubuis O *et al*. Evaluation of 2-SP transport medium for detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* by two automated amplification systems and culture for chlamydia, **947**
Dufty JMK *see* Craig S *et al*
Dufty JMK *et al*. Calculation of System International Sensitivity Index: how many calibrant plasmas are required?, **40**
Duguid JKM. Antenatal serological testing and prevention of haemolytic disease of the newborn: *leader*, **193**
Duk JM *see* Baay MFD *et al*
Dukers DF *see* Brink AATP *et al*
Dundas SAC, Mansour P. Defining epithelioid cell granulomas: *correspondence*, **880**
Dunk AA *see* Mason CH and Dunk AA
Dutta U *see* Pokharna RK *et al*

Earl R *see* Boyde AM *et al*
Ebina Y *see* Yamamoto R *et al*
Edriss AN *see* Bahon J *et al*
Edwards A *et al*. A urine analysis method suitable for children's nappies, **569**
Elia CCS *see* Trajman A *et al*
Elliott TSJ *see* Catchpole CR *et al*
El-Zimaity HMT *et al*. Early diagnosis of signet ring cell carcinoma of the stomach: role of the Genta stain, **867**
Emms M *see* Engel ME *et al*
Engel ME *et al*. Paediatric rhabdomyosarcoma: MyoD1 demonstration in routinely processed tissue sections using wet heat pretreatment (pressure cooking) for antigen retrieval, **37**
Engels K *see* O'Leary JJ *et al*
Erber WN *et al*. An enhanced immunocytochemical method for staining bone marrow trephine sections, **389**
Evans AE *see* McMillan SA *et al*

Fabbro D *see* di Loreto C *et al*
Fabris C *see* Pirisi M *et al*
Fagan DG *see* Walters C *et al*
Fakan F *see* Skálová A and Fakan F
Falleti E *see* Pirisi M *et al*
Fardell S *see* Boyde AM *et al*
Färkkilä M *see* Åkenami FOT *et al*
Fatuzzo P *see* Fraggetta F *et al*
Fawley WN *see* Kite P *et al*
Feehally J *see* Harper SJ *et al*
Feighery CF *see* Leonard N *et al*
Félix A *see* Rosa JC *et al*
Feneley MR, Parkinson MC. Biopsy diagnosis of prostatic cancer—current areas of concern: *editorial*, **265**
Fernö M *see* Bergqvist A *et al*
Ferraz A *see* Coutinho HB *et al*
Ferraz E *see* Coutinho HB *et al*
Ferrero JM *see* Lagrange M *et al*
Ferrier RK *see* Stephen MR *et al*
Fielding JF *see* Kay EW *et al*
Figura N *see* Fraggetta F *et al*
Finn TM *see* Hauer AC *et al*
Flahaut A *see* Aractingi S *et al*
Fon LJ *see* McCluggage WG *et al*
Fonseca I *see* Rosa JC *et al*
Forbes A *see* Ilyas M *et al*
Forrest ARW *see* Rutty GN *et al*
Fox C *see* Brogan O *et al*
Fraggetta F *et al*. Serum CagA antibodies in asymptomatic subjects and patients with peptic ulcer: *correspondence*, **620**
Francis JL *see* Lwaleed BA *et al*
Freemont AJ *see* Byers RJ *et al*
Fresno MF *see* González MV *et al*
Frigo B *see* Colecchia M *et al*
Frist S. Rapid review of cervical cytology: *correspondence*, **87**
Fujimoto S *see* Yamamoto R *et al*
Fujishima M *see* Hizawa K *et al*
Fung KH *see* Lam KY *et al*
Furness PN, Lauder I. A questionnaire-based survey of errors in diagnostic histopathology throughout the United Kingdom, **457**
Furness PN *et al*. Semiautomatic quantitation of macrophages in human renal biopsy specimens in proteinuric states, **118**
Furtado AF *see* Coutinho HB *et al*

Gabbrielli M *see* Dionisio D *et al*
Gafã R *et al*. Lymphoepithelial cyst of the pancreas, **794**
Gala J-L *et al*. A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies, **521**
HIV-1 detection by nested PCR and viral culture in fresh or cryo-preserved postmortem skin: potential implications for skin handling and allografting, **481**
Gallivan S *see* Jenkins D *et al*
Gaminara L *see* Taylor FC *et al*
García A *see* Masmiquel L *et al*
García P *see* Mateo MS *et al*
García S *see* Charpin C *et al*
Garg PK *see* Pokharna RK *et al*
Garzia P *see* Amoroso A *et al*
Gatter K *see* Banham AH *et al*
Gazdar AF *see* Shay JW and Gazdar AF
see Yashima K *et al*
Gazzard B *see* Hancock MR *et al*
Gazzard BG *see* Cartledge JD *et al*
Geddes JF *see* Hopster DJ *et al*
Geddes JF. What's new in the diagnosis of head injury?: *leader*, **271**
Geiselhart A *see* Kröber SM *et al*
Gencay M *et al*. *Chlamydia trachomatis* detected in human placenta, **852**
Germanà B *see* Doglioni C *et al*
Germann D *see* Dubuis O *et al*
Ghadjari A *et al*. Contamination of microscope slides with *Aspergillus glaucus* group A: a laboratory problem in the diagnosis of suspected mycotic infections, **699**
Gharakhanian S *see* Christeff N *et al*
Giachè V *see* Pirami L *et al*
Giaretti W. Flow cytometry and applications in oncology: *leader*, **275**
Gibbs A *see* Dey P *et al*
Gillen D *see* Leonard MB *et al*
Gillespie SH *et al*. An outbreak of penicillin resistant *Streptococcus pneumoniae* investigated by a polymerase chain reaction based genotyping method, **847**

Gillies A *see* Pringle JH *et al*
Gilmour HM *see* Jenkins D *et al*
Gioanni J *see* Lagrange M *et al*
Gledhill A *et al*. Sputum cytology: a limited role, **566**
Gluckman E *see* Aractingi S *et al*
Goddard MJ *see* Williams JO *et al*
see Williams JO *et al*
Goldin RD *see* Lloyd J *et al*
Gomes BPFA *see* Sayers NM *et al*
Gómez P *see* Sánchez J *et al*
Gonano F *see* Pirisi M *et al*
González MV *et al*. Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
Mutation analysis of the p53, APC, and p16 genes in the Barrett's oesophagus, dysplasia, and adenocarcinoma, **212**
Goodall A *see* Jenkins D *et al*
Goodison S *see* Gorham H *et al*
Goovaerts G *see* Tjalma W *et al*
Gorgievski-Hrisoho M *see* Dubuis O *et al*
Gorham H *et al*. Telomerase activity in human gynaecological malignancies, **501**
Govender D, Chetty R. Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: a histological continuum?, **79**
Govender D *et al*. CD31 (JC70) expression in plasma cells: an immunohistochemical analysis of reactive and neoplastic plasma cells, **490**
Graham A *see* Threlfall EJ *et al*
Graham DY *see* El-Zimaity HMT *et al*
Granata A *see* Fraggetta F *et al*
Grandi E *see* Gafà R *et al*
Grant R *see* Nath U and Grant R
Gray A *see* Taylor FC *et al*
Gray J *see* Das I *et al*
Greaves M. Antiphospholipid syndrome: *editorial*, **973**
Green J *see* van Diest PJ *et al*
Gresham GA *see* Williams JO *et al*
see Williams JO *et al*
Griesser H *see* Kröber SM *et al*
Griffiths MP *see* Berney DM *et al*
Guadagnino V *et al*. Alanine aminotransferase assay todetect anti-HCV positive subjects in non-selected populations: *correspondence*, **709**
Guardamagna A *see* Colecchia M *et al*
Gubertini G *see* Boldorini R *et al*
Gudat F *see* Lohri A *et al*
Gulletta E *see* Guadagnino V *et al*
Gundle R *see* Neale SD *et al*
Gungen Y *see* Demirhan B *et al*
Gunn J *see* Sohda T *et al*
Gunshin Y *see* Naito I *et al*
Gupta SD *see* Pokharna RK *et al*

Haberal M *see* Demirhan B *et al*
Haboubi NY *see* Coyne JD *et al*
Haffajee Z *see* Cooper K *et al*
Haines GK *see* Szekanecz Z *et al*
Hair CG *see* Vardaxis NJ *et al*
Hales CN. Fetal and infant origins of adult disease: *editorial*, **359**
Hamamoto T *et al*. Altered microsatellites in incomplete-type intestinal metaplasia adjacent to primary gastric cancers, **841**
Hamilton PW *see* Montironi R *et al*
Hancock MR *et al*. Biochemical assessment of pancreatic disease in human immunodeficiency virus infected men, **674**
Hand NM *see* Blythe D *et al*
Handgretinger R *see* Kröber SM *et al*
Happerfield LC *see* Lee AHS *et al*
Harada T *see* Shimizu M *et al*
Hareyama H *see* Yamamoto R *et al*
Harilal P *see* Govender D *et al*
Harn H-J *et al*. Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**
Harnden P, Southgate J. Cytokeratin 14 as a marker of squamous differentiation in transitional cell carcinomas, **1032**
Harper SJ *et al*. A comparative study of digoxigenin, 2,4-dinitrophenyl, and alkaline phosphatase as deoxyoligonucleotide labels in non-radioisotopic in situ hybridisation, **686**
Harris KPG *see* Furness PN *et al*
Hassid S *et al*. Determination of proliferative activity in nasal polyps, **923**
Hauer AC *et al*. Analysis of TH1 and TH2 cytokine production in low grade B cell gastric MALT-type lymphomas stimulated in vitro with *Helicobacter pylori* , **957**
Hawkins DA *see* Hancock MR *et al*
Healing DE *see* Catchpole CR *et al*
Healy I *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Hemmatpour SK *see* Bateman AC *et al*
Henderson D *see* Gledhill A *et al*
Hendrix RMG *et al*. Widespread presence of cytomegalovirus DNA in tissues of healthy trauma victims, **59**
Henzen-Logmans SC *see* van Diest PJ *et al*
Herbert A. Is proficiency testing in cervical cytology proficient?: *editorial*, **536**
Herbrink P *see* Baay MFD *et al*
Herrmann R *see* Lohri A *et al*
Heubner C *see* Back W *et al*
Hiele M *see* Mewis A *et al*
Higashiyama H *see* Yamano S *et al*
Higgins S *see* Chandiok S *et al*
Hill CM *see* McCluggage WG *et al*
Hirokawa M *see* Shimizu M *et al*
see Shimizu M *et al*
Hizawa K *et al*. Juvenile polyposis of the stomach: clinicopathological features and its malignant potential, **771**
Ho LI *see* Harn H *et al*
Hoffman GJ *see* Erber WN *et al*
Hogan J *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Hollema H *see* Baay MFD *et al*
Holstege *see* Paradis V *et al*
Hong KBT *see* Gala J-L *et al*
Hood N *see* Tong CYW *et al*
Hoogeveen MM *see* Vardaxis NJ *et al*
Hopmeier P *see* Schnedl WJ *et al*
Hopster DJ *et al*. Widespread neuroendocrine malignancy within the central nervous system: a diagnostic conundrum, **440**
Horensky D *see* Vargas SO *et al*
Horne CHW *see* Thomas MD *et al*
Horny H-P *see* Kröber SM *et al*
Hoshii Y *see* Ikeda S-I *et al*
Houang ETS *et al*. Use of CHROMagar Candida for genital specimens in the diagnostic laboratory, **563**
Hourihane DO'B *see* Leonard N *et al*
Howdle PD *see* O'Shea U *et al*
Howell S *see* Cooper ES *et al*
Howell WM *see* Bateman AC *et al*
Hoyland JA *see* Byers RJ *et al*
Hristic M *see* Hunger RE *et al*
Hsueh C *see* Chang H-Y *et al*
Huang B-Y *see* Chang H-Y *et al*
Hudson M. Rights of possession in human corpses: *editorial*, **90**
Hughes JE *see* Gillespie SH *et al*
Hughes NR, Bhathal PS. Gastric mucous neck cell and intestinal goblet cell phenotypes in gastric adenocarcinoma, **741**
Hunger RE *et al*. Detection of perforin and tumour necrosis factor α mRNA expressing cells in sclerosing lymphocytic lobulitis of the breast, **310**
Huttunen N-P *see* Nuorva K *et al*

Ibba Mannchesi L *see* Dionisio D *et al*
Iguchi Y *see* Ohmoto K *et al*
Ihara Y *see* Shimizu T *et al*
Iida M *see* Hizawa K *et al*
see Shimizu M *et al*
Ikeda S-I *et al*. Systemic reactive amyloidosis associated with Castleman's disease: serial changes of the concentrations of acute phase serum amyloid A and interleukin 6 in serum, **965**
Ikoma M *see* Iwahashi M *et al*
Ilyas M *et al*. Tumour recurrence is associated with Jass grouping but not with differences in E-cadherin expression in moderately differentiated Dukes' B colorectal cancers, **218**
Imbert-Bismut F *see* Paradis V *et al*
Inoue S *see* Naito I *et al*
Isaac M *see* Simmons MD *et al*
Isaacson PG *see* Hauer AC *et al*
Islam D *et al*. Quantitative assessment of IgG and IgA subclass producing cells in rectal mucosa during shigellosis, **513**
Ismail M *see* McCluggage WG *et al*
Issakainen J *see* Nuorva K *et al*
Itani K *see* El-Zimaity HMT *et al*
Ito Y *see* Wakasugi E *et al*
Itoh H *see* Uchino H *et al*
Iwahashi M *et al*. Effects of oestrogen on the extracellular matrix in the endometrium of postmenopausal women, **755**
Increased serum concentrations of type IV collagen and laminin associated with granulosa cell tumour of the ovary, **77**
Iwata K *see* Sohda T *et al*
Iwatani Y *see* Kabutomori O and Iwatani Y

Jack AS *see* Blythe D *et al*
Jackson N *et al*. Fatal *Campylobacter jejuni* infection in a patient splenectomised for thalassaemia, **436**
Jackson P *see* Blythe D *et al*
see Moayyedi P *et al*
Jass JR *see* Ajioka Y *et al*
Jass JR. Familial cancer: histopathological perspectives, **892**
Jeng L-B *see* Chang H-Y *et al*
Jenkins CT *see* Cooke RPD and Jenkins CT

Jenkins D *et al.* Guidelines for the initial biopsy diagnosis of suspected chronic idiopathic inflammatory bowel disease. The British Society of Gastroenterology Initiative: *leader*, **93**
Simple objective criteria for diagnosis of causes of acute diarrhoea on rectal biopsy, **580**
Jenner K *see* Jian W-G *et al*
Jian W-G *et al.* Expression of E-cadherin in oesophageal carcinomas from the UK and China: disparities in prognostic significance, **640**
Jiwa M *see* Brink AATP *et al*
Joh K *see* Naito I *et al*
Johnstone R *see* Thomas MD *et al*
Juhola M *see* Nuorva K *et al*

Kabutomori O, Iwatani Y. Unusual eosinophilia not detected by an automated haematological analyser in a patient with liver cirrhosis, **967**
Kafeel G, Telesinghe PU. Inflammatory pseudotumour of the liver, **352**
Kagawa M *see* Naito I *et al*
Kaiserling E *see* Kröber SM *et al*
Kamimura S *see* Sohda T *et al*
Kämmerer U *see* Kröber SM *et al*
Kappeler A *see* Hunger RE *et al*
Karakayali H *see* Demirhan B *et al*
Karunaratne S, Benbow EW. A survey of general practitioners' views on autopsy reports, **548**
Kastan MB *see* DiGiuseppe JA and Kastan MB
Kataoka H *see* Uchino H *et al*
Katzensteiner S *see* Schnedl WJ *et al*
Kawaguchi K *see* Shimizu T *et al*
Kawai S *see* Naito I *et al*
Kawasaki S *see* Ikeda S-I *et al*
Kay EW *et al.* Mild abnormalities in liver histology associated with chronic hepatitis: distinction from normal liver histology, **929**
Kealy WF *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Kearns MC *see* Stevens FM *et al*
Kelehan P *see* Moran E *et al*
see O'Leary JJ *et al*
Kelly PJ *see* Maruno M *et al*
Kelsey M *see* Gillespie SH *et al*
Kelton JG *see* Warner M and Kelton JG
Kennedy AD *et al.* HBME-1 and antithrombomodulin in the differential diagnosis of malignant mesothelioma of pleura, **859**
Kennedy S *see* Moran E *et al*
Kerr KM *see* Kennedy AD *et al*
Kettle P, Allen DC. Bone marrow granulomas in infiltrating lobular breast cancer, **166**
Kindon AJL *see* Kite P *et al*
King G *see* Coutinho HB *et al*
see Kennedy AD *et al*
Kiss R *see* Hassid S *et al*
Kitchen S, Preston FE. Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins, **951**
Kite P *et al.* Evaluation of a novel endoluminal brush method for in situ diagnosis of catheter related sepsis, **278**
Klein A *see* Pfeiffer H *et al*
Kobayashi K *see* Yamamoto R *et al*
Kobayashi T *see* Wakasugi E *et al*
Koçak R *see* Paydas S *et al*
Koch AE *see* Szekanecz Z *et al*
Koch B *see* Nickels A *et al*
Koehler AP *see* Houang ETS *et al*
Kollinger M *see* Paradis V *et al*
Komoike Y *see* Wakasugi E *et al*
Koono M *see* Uchino H *et al*
Koskiniemi M *see* Akenami FOT *et al*
Koskiniemi ML *see* Gencay M *et al*
Koudstaal J *see* Baay MFD *et al*
Kovach JS *see* Maruno M *et al*
Krejs J *see* Schnedl WJ *et al*
Kristelly R *see* Neale SD *et al*
Kröber SM *et al.* Mastocytosis: reactive or neoplastic?, **525**
Kumar D *see* Chaudhry R *et al*
Kuwabara H, Uda H. Clear cell mammary malignant myoepithelioma with abundant glycogens, **700**
Kyi MS *see* Gillespie SH *et al*

Laget JP *see* Bahon J *et al*
Lagrange JL *see* Lagrange M *et al*
Lagrange M *et al.* Non-specifically labelled cells that simulate bone marrow metastases in patients with non-metastatic breast cancer, **206**
Lam KY *et al.* Atypical manifestations in a patient with systemic lupus erythematosus, **174**
Landers RJ *see* O'Leary JJ *et al*
see O'Leary JJ *et al*
Larkin A *see* Moran E *et al*
Lau GKK *et al.* Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
Lauder I *see* Furness PN and Lauder I
see Pringle JH *et al*
Lavaut M *see* Charpin C *et al*
Laxmi BV *see* Chaudhry R *et al*
Leader MB *see* Kay EW *et al*
Lebbé C *see* Delabesse E *et al*
Lee AHS *et al.* Angiogenesis and inflammation in invasive carcinoma of the breast, **669**
Lee CH *see* Lam KY *et al*
Lee FD *et al.* Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease, **148**
Lee JH *see* Harn H *et al*
Lefebvre JL *see* Leroy X *et al*
le Goué C *see* Aractingi S *et al*
Lennard TWJ *see* Thomas MD *et al*
Leonard MB *et al. Helicobacter pylori* does not release cysteamine into gastric juice, **769**
Leonard N, Melcher DH. To operate or not to operate? The value of fine needle aspiration cytology in the assessment of thyroid swellings, **941**
Leonard N *et al.* Peptic duodenitis—does it exist in the second part of the duodenum?, **54**
Leoncini F *see* Dionisio D *et al*
Leone O *et al.* Late stage congestive gastropathy, **350**
Leopardi O *see* Colecchia M *et al*
Lequeux N *see* Costes V *et al*
Leroy X *et al.* Epithelioid sarcoma of the tongue, **869**
Lewin J *see* Daszak P *et al*
Liang R *see* Lau GKK *et al*
Liang RHS *see* Woo PCY *et al*
Liautard J *see* Costes V *et al*
Lim WL *see* Lau GKK *et al*
Lin J *see* Chang H-Y *et al*
Lindberg AA *see* Islam D *et al*
Lipp RW *see* Schnedl WJ *et al*
Liu GC *see* Harn H *et al*
Lloyd J *et al.* A solitary benign lymphoid polyp of the rectum in a 51 year old woman, **1034**
Lo SKF *see* Woo PCY *et al*
Logulo A *see* Capelozzi VL *et al*
Lohri A *et al.* Topoisomerase IIα mRNA and tumour cell proliferation in non-Hodgkin's lymphoma , **22**
Loo B *see* Cunney RJ *et al*
López-Larrea C *see* González MV *et al*
see González MV *et al*
Lumb P *see* Crook M *et al*
Lwaleed BA *et al.* Urinary tissue factor in glomerulonephritis: a potential marker of glomerular injury?, **336**
Lynch DAF *see* Moayyedi P *et al*

McCarthy CF *see* Stevens FM *et al*
McCluggage WG, Allen DC. Ovarian granulomas: a report of 32 cases, **324**
McCluggage WG *et al.* Malignant eccrine spiradenoma with carcinomatous and sarcomatous elements, **871**
McColl KEL *see* Leonard MB *et al*
McCrum EE *see* McMillan SA *et al*
McCulloch TA *see* Wight CO *et al*
MacDonald TT *see* Hauer AC *et al*
see Trajman A *et al*
McFadden A *see* Radhi JM *et al*
MacGowan SH *see* Wilcock GK *et al*
Machiavello JC *see* Lagrange M *et al*
McHugh TD *see* Gillespie SH *et al*
McIntosh GG *see* Thomas MD *et al*
McKeen CM *see* Harper SJ *et al*
McKeever P *see* Wright D *et al*
McKenna DM *see* Thomas MD *et al*
McMahon MJ *see* Kite P *et al*
McMillan SA *et al.* Effect of low to moderate levels of smoking and alcohol consumption on serum immunoglobulin concentrations, **819**
McNamara EB *see* Cunney RJ *et al*
Macrae F *see* Catchpole CR *et al*
Macri E *see* Doglioni C *et al*
McWilliam LJ *see* Roberts ISD *et al*
Madeley CR. Electron microscopy and viral diagnosis: *leader*, **454**
Maguire C *see* Lee FD *et al*
Maiolino P, de Vico G. Proliferation indexes—a comparison between cutaneous basal and squamous cell carcinomas: *correspondence*, **355**
Makinoda S *see* Yamamoto R *et al*
Malone J *see* Brogan O *et al*
Manabe T *see* Mikami Y *et al*
see Shimizu M *et al*
see Shimizu M *et al*
Manek S *see* Gorham H *et al*
Mannonen L *see* Gencay M *et al*
Mansour P *see* Dundas SAC and Mansour P

Marques E *see* Botega NJ *et al*
Marrano D *see* Leone O *et al*
Marsh G *see* Gorham H *et al*
Martinez JC *see* Mateo MS *et al*
Martini F *see* Charpin C *et al*
Maruno M *et al*. Distribution of endogenous tumour necrosis factor α in gliomas, **559**
Masmiquel L *et al*. Leu-M1 immunoreactivity and phaeochromocytoma, **168**
Mason CH, Dunk AA. Duodeno-jejunal adenocarcinoma and coeliac disease: *correspondence*, **619**
Mason DY *see* Banham AH *et al*
Mastrantonio P *see* Bitti A *et al*
Mateo MS *et al*. Expression of $p21^{WAF1/CIP1}$ in fetal and adult tissues: simultaneous analysis with Ki67 and p53, **645**
Mathurin P *see* Paradis V *et al*
Matsumoto T *see* Shimizu M *et al*
see Shimizu T *et al*
Matter L *see* Dubuis O *et al*
Matthews HR *see* Jian W-G *et al*
Matthews SM *see* Wilcock GK *et al*
Mayall F *et al*. A review of 50 consecutive cytology cell block preparations in a large general hospital, **985**
Meade TW. Fibrinogen and cardiovascular disease: *leader*, **13**
Meijer CJLM *see* Brink AATP *et al*
Meijer GA *et al*. Image analysis in clinical pathology, **365**
Melcher DH *see* Leonard N and Melcher DH
Meli M *see* Dionisio D *et al*
Mella J *see* Bull AD *et al*
Mendonça E *see* Pinto AE *et al*
Menéndez MJ *see* González MV *et al*
see González MV *et al*
Menke DM *see* Kröber SM *et al*
Mepham BL *see* Williams JH *et al*
Metze K *see* Botega NJ *et al*
Mewis A *et al*. Fatal *Yersinia enterocolitica* transfusion reaction: *correspondence*, **796**
Middeldorp JM *see* Brink AATP *et al*
Midgely J *see* Cartledge JD *et al*
Migliaretti G *see* Boldorini R *et al*
Mikami T *et al*. Pulmonary alveolar proteinosis: diagnosis using routinely processed smears of bronchoalveolar lavage fluid, **981**
Mikami Y *et al*. Tumorous necrotic nodule in the liver: unexpected effect of the microwave tissue coagulator, **703**
Miller D *see* Taylor FC *et al*
Millis RR *see* Lee AHS *et al*
Mirdha BR *et al*. Laboratory diagnosis of malaria: *correspondence*, **356**
Mishra B *see* Mirdha BR *et al*
Mitchinson MJ. Is lipid oxidation essential for atherogenesis?: *commentary*, **268**
Miyashiro I *see* Wakasugi E *et al*
Miyazaki K *see* Hamamoto T *et al*
Miyazaki M *see* Wakasugi E *et al*
Mizuno F *see* Yamano S *et al*
Moayyedi P *et al*. Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
Molyneux AJ *et al*. Mucopolysaccharidosis type VII associated with hydrops fetalis: histopathological and ultrastructural features with genetic implications, **252**
Monaghan JM *see* Ansink AC *et al*
Monden M *see* Wakasugi E *et al*
Monden T *see* Wakasugi E *et al*
Monga G *see* Boldorini R *et al*
Monobe Y *see* Shimizu M *et al*
Montenarh M *see* Nickels A *et al*
Monticelli J *see* Lagrange M *et al*
Montironi R *et al*. Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**
Mooi WJ. Diagnosis of thin melanoma: *editorial*, **179**
The dysplastic naevus: *leader*, **711**
Mooney EE *et al*. Intrapericardial foregut cyst associated with intrauterine death, **962**
Moore IE *see* Culora GA and Moore IE
Moraes ZV *see* Botega NJ *et al*
Moran E *et al*. A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
Moretti G *see* Bitti A *et al*
Moriya T *see* Shimizu M *et al*
Morris A, Zvetkova I. Cytokine research: the interferon paradigm: *leader*, **635**
Moussa M *see* Schultsz C *et al*
Mouton SCE *see* Engel ME *et al*
Mueller C *see* Hunger RE *et al*
Murakami M *see* Ohmoto K *et al*

Nadin J *see* Simmons MD *et al*
Nagy N *see* Hassid S *et al*
Naito I *et al*. Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**
Nakano R *see* Iwahashi M *et al*
see Iwahashi M *et al*
Nakano Y *see* Wakasugi E *et al*
Nakayama M *see* Shimizu M and Nakayama M
Namer M *see* Lagrange M *et al*
Narita Y *see* Yamano S *et al*
Nath U, Grant R. Neurological paraneoplastic syndromes: *leader*, **975**
Nayler SJ, Cooper K. Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: *correspondence*, **620**
Nazim M *see* Jackson N *et al*
Neale SD *et al*. Giant cells in pigmented villo nodular synovitis express an osteoclast phenotype, **605**
Nebuloni M *see* Boldorini R *et al*
Neithercut WD *see* Leonard MB *et al*
Newcombe R *see* Edwards A *et al*
Newcombe RG. Benefits and limitations of pathology databases to cancer registries: *correspondence*, **354**
Ngoh BL *see* Chow VTK *et al*
Nguyen DT *et al*. Haematological validation of a computer-based bone marrow reporting system, **375**
Nickels A *et al*. Detection of p53 in inflammatory tissue and lymphocytes using immunohistology and flow cytometry: a critical comment, **654**
Nisar N *see* Chaudhry R *et al*
Nishi S *see* Yamamoto R *et al*
Nogueira M *see* Pinto AE *et al*
Nomura S *see* Naito I *et al*
Novelli M *see* Ilyas M *et al*
Nunez EA *see* Christeff N *et al*
Nuorva K *et al*. Pulmonary adiaspiromycosis in a two year old girl, **82**

Obeidat W *see* Lee FD *et al*
O'Dowd J *see* Kay EW *et al*
Ohmoto K *et al*. Solitary cystic dilatation of the intrahepatic bile duct, **617**
Oien K *see* Stephen MR *et al*
Oka Y *see* Sohda T *et al*
Okayasu I *see* Mikami T *et al*
Oksenhendler E *see* Delabesse E *et al*
Okumura M *see* Sohda T *et al*
O'Leary JJ *et al*. Alterations in exon 1 of c-myc and expression of $p62^{c\text{-}myc}$ in cervical squamous cell carcinoma, **896**
Genotypic mapping of HPV and assessment of EBV prevalence in endocervical lesions, **904**
The polymerase chain reaction in pathology, **805**
Olukoga AO. Towards an effective and successful clinical liaison service in chemical pathology, **538**
Olukoga AO *et al*. Cerebrospinal fluid analysis in clinical diagnosis: *leader*, **187**
O'Mahony S *see* Moayyedi P *et al*
Onderdonk AB *see* Vargas SO *et al*
Ooshima A *see* Iwahashi M *et al*
see Iwahashi M *et al*
Opolon P *see* Paradis V *et al*
Oppenheim BA *see* Chandiok S *et al*
O'Rourke D *see* McCluggage WG *et al*
Orradre L *see* Mateo MS *et al*
Orsi A *see* Dionisio D *et al*
Ortmann C *see* Pfeiffer H *et al*
Osawa G *see* Naito I *et al*
O'Shea U *et al*. Analysis of T cell receptor β chain CDR3 size using RNA extracted from formalin fixed paraffin wax embedded tissue, **811**
Osman S *see* Jackson N *et al*
Ostrowski JL *see* Quinn CM and Ostrowski JL
Otani T *see* Iwahashi M *et al*
Oudejans JJ *see* Brink AATP *et al*
Ozawa J *see* Ikeda S-I *et al*

Padfield CJH *see* Walters C *et al*
Palmer M *see* Catchpole CR *et al*
Papucci A *see* Dionisio D *et al*
Paradis V *et al*. In situ detection of lipid peroxidation in chronic hepatitis C: correlation with pathological features, **401**
Parameswaran R *see* Nguyen DT *et al*
Parkinson MC *see* Feneley MR and Parkinson MC
Parks TG *see* McCluggage WG *et al*
Parr AH *see* Thomas MD *et al*
Pasquarelli C *see* Amoroso A *et al*
Paydas S *et al*. Bone marrow necrosis in antiphospholipid syndrome, **261**
Pegoraro RJ *see* Chetty R *et al*
Peiris JSM *see* Woo PCY *et al*
Pello MF *see* González MV *et al*
Pérez MJ *see* González MV *et al*
Pérez R *see* González MV *et al*
Perry LA *see* Street ME *et al*
Persaud KC *see* Chandiok S *et al*
Peston D *see* Zidan A *et al*

Pfeiffer H *et al.* Origin of hepatocellular carcinoma recurring after allotransplantation revealed by microsatellite analysis, **792**
Pfreundschuh M *see* Nickels A *et al*
Philippe M *see* Gala J-L *et al*
Piana S *see* Leone O *et al*
Piatyszek MA *see* Yashima K *et al*
Picot M-C *see* Costes V *et al*
Pileri SA, Sabattini E. A rational approach to immunohistochemical analysis of malignant lymphomas on paraffin wax sections: *editorial*, **2**
Pinching AJ. What have we learnt from AIDS?: *editorial*, **885**
Pinto AE *et al.* Flow cytometric DNA hypertetraploidy is associated with unfavourable prognostic features in breast cancer, **591**
Pirami L *et al.* Analysis of HPV16, 18, 31, and 35 DNA in pre-invasive and invasive lesions of the uterine cervix, **600**
Piris MA *see* Mateo MS *et al*
Pirisi M *et al.* Increased soluble ICAM-1 concentration and impaired delayed-type hypersensitivity skin tests in patients with chronic liver disease, **50**
Pirnay J-P *see* Gala J-L *et al*
Pitkänen R *see* Nuorva K *et al*
Piton A *see* Paradis V *et al*
Poirriez J *see* Bahon J *et al*
Pokharna RK *et al.* Primary epithelioid haemangioendothelioma of the liver: case report and review of the literature, **1029**
Pomante R *see* Montironi R *et al*
Pounder DJ *see* Cox DE *et al*
Pounder RE *see* Anthony A *et al*
see Daszak P *et al*
Powe DG *see* Walters C *et al*
Poynard T *see* Paradis V *et al*
Preston FE *see* Kitchen S and Preston FE
Price AB *see* Warren BF *et al*
Price CP *see* Boyde AM *et al*
Pringle JH *see* Harper SJ *et al*
see Snowden JA *et al*
Pringle JH *et al.* Numerical chromosomal aberrations in Hodgkin's disease detected by in situ hybridisation on routine paraffin sections, **553**
Puglisi F *see* di Loreto C *et al*
Pulford K *see* Banham AH *et al*
Puolakkainen M *see* Gencay M *et al*
Purcell M *see* Daszak P *et al*

Quinn CM, Ostrowski JL. Cytological and architectural heterogeneity in ductal carcinoma in situ of the breast, **596**
Quinn JMW *see* Neale SD *et al*
Quint WGV *see* Baay MFD *et al*
Quirke P *see* Shepherd NA and Quirke P

Radcliffe AG *see* Bull AD *et al*
Radhi JM. Urethral malignant melanoma closely mimicking urothelial carcinoma, **250**
Radhi JM *et al.* Kikuchi's lymphadenitis and carcinoma of the stomach, **530**
Rahi AHS *see* Al-Attas RA *et al*
Rahman AR *see* Jackson N *et al*
Ramdath DD *see* Cooper ES *et al*
Ramsay M *see* Taylor FC *et al*
Rapicetta M *see* Guadagnino V *et al*
Rapisarda F *see* Fraggetta F *et al*
Ray K *see* Chaudhry R *et al*
Reid IN *see* Davidson LA and Reid IN
Reid MM. Childhood non-Hodgkin's lymphomas in the United Kingdom: *correspondence*, **709**
Reimer KA *see* Mooney EE *et al*
Reisinger EC *see* Schnedl WJ *et al*
Renard JN *see* Yamano S *et al*
Reuter J *see* Lohri A *et al*
Richards NT *see* Catchpole CR *et al*
Richmond W *see* Winder AF *et al*
Robalinho TI *see* Coutinho HB *et al*
Robert M *see* Costes V *et al*
Roberts ISD *et al.* Interstitial myofibroblasts: predictors of progression in membranous nephropathy, **123**
Robinson R *see* Kay EW *et al*
Robinson SFD *see* Hopster DJ *et al*
Rodhain J *see* Gala J-L *et al*
Rodrigo L *see* González MV *et al*
Rogers-Wheatley L *see* Furness PN *et al*
Rombaut K *see* Hassid S *et al*
Román J *see* Sánchez J *et al*
Ronan J *see* Binks S *et al*
Rosa JC *et al.* Immunoexpression of c-erbB-2 and p53 in benign and malignant salivary neoplasms with myoepithelial differentiation, **661**
Roskell D. Oil immersion magnification without the oil: *correspondence*, **797**
Rossi J-F *see* Costes V *et al*
Rowe B *see* Chart H *et al*
see Threlfall EJ *et al*
Rozenbaum W *see* Christeff N *et al*
Ruck P *see* Kröber SM *et al*
Russell RI *see* Lee FD *et al*
Rutty GN *et al.* Alcohol estimation at necropsy: epidemiology, economics and the elderly: *correspondence*, **796**
Rymer J *see* Crook M *et al*

Sabattini E *see* Pileri SA and Sabattini E
Saboorian HM *see* Yashima K *et al*
Sachithanandan S *see* Kay EW *et al*
Sadler DW *see* Cox DE *et al*
Sado Y *see* Naito I *et al*
Saez AI *see* Mateo MS *et al*
Saito I *see* Yamano S *et al*
Sakuragi N *see* Yamamoto R *et al*
Sakurai H *see* Yamano S *et al*
Sakurai T *see* Shimizu M *et al*
Saldiva PHN *see* Capelozzi VL *et al*
Salmon I *see* Hassid S *et al*
Samantaray JC *see* Mirdha BR *et al*
Sampedro A *see* González MV *et al*
Sánchez J *et al.* Bronchial mucoepidermoid carcinoma after allogeneic bone marrow transplantation, **969**
Sanchez-Beato M *see* Mateo MS *et al*
Sanchez-Verde L *see* Mateo MS *et al*
Santini D *see* Leone O *et al*
Sataar N *see* Chetty R *et al*
Savage O *see* Street ME *et al*
Sayers NM *et al.* Possible lethal enhancement of toxins from putative periodontopathogens by nicotine: implications for periodontal disease, **245**
Scheiff J-M *see* Gala J-L *et al*
Schelstraete B *see* Mewis A *et al*
Schnedl WJ *et al.* Haemoglobin O Padova and falsely low haemoglobin A_{1c} in a patient with type I diabetes, **434**
Schneider M *see* Lagrange M *et al*
Schreiber F *see* Schnedl WJ *et al*
Schultsz C *et al.* Frequency of pathogenic and enteroadherent *Escherichia coli* in patients with inflammatory bowel disease and controls, **573**
Scorer P *see* Ansink AC *et al*
Scott BB *see* Jenkins D *et al*
Seed M *see* Wight CO *et al*
Selter H *see* Nickels A *et al*
Semba S *see* Hamamoto T *et al*
Serjeant BE *see* Cooper ES *et al*
Serrano J *see* Sánchez J *et al*
Sewell HF *see* Coutinho HB *et al*
Shanahan F *see* Bernstein CN *et al*
Shanks JH *see* Roberts ISD *et al*
Shaw JA *see* Pringle JH *et al*
Shay JW *see* Yashima K *et al*
Shay JW. Molecular pathogenesis of aging and cancer: are telomeres and telomerase the connection?: *editorial*, **799**
Shay JW, Gazdar AF. Telomerase in the early detection of cancer: *leader*, **106**
Shen KL *see* Harn H *et al*
Shepherd NA *see* Jenkins D *et al*
see Warren BF *et al*
Shepherd NA, Quirke P. Colorectal cancer reporting: are we failing the patient?: *editorial*, **266**
Shijo H *see* Sohda T *et al*
Shimizu M *see* Mikami Y *et al*
see Ohmoto K *et al*
see Shimizu T *et al*
Shimizu M, Nakayama M. Endometrial ossification in a postmenopausal woman, **171**
Shimizu M *et al.* A simple technique for identifying the adrenal glands at necropsy, **263**
β$_2$ Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
Lithium associated autoimmune thyroiditis, **172**
Shimizu T *et al.* Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**
Shimozuma K *see* Shimizu M *et al*
Shousha S *see* Zidan A *et al*
Siau H *see* Woo PCY *et al*
Simó R *see* Masmiquel L *et al*
Simmons MD *et al.* Re-engineering pathology: an IT solution to the data conundrum, **815**
Singh N, Wright DH. The value of immunohistochemistry on paraffin wax embedded tissue sections in the differentiation of small lymphocytic and mantle cell lymphomas, **16**
Skálová A, Fakan F. Bcl-2 protein does not help to distinguish benign from malignant lymphoid nodules in bone marrow biopsy specimens: *correspondence*, **87**
Skinnider L *see* Radhi JM *et al*
Skoog L *see* Bergqvist A *et al*
Slater D. MIN terminology: *correspondence*, **619**
Slobbe RL *see* Hendrix RMG *et al*
Smith NA *see* Hancock MR *et al*
Smyth EG *see* Cunney RJ *et al*

Snowden JA *et al.* Angiotropic lymphoma: report of a case with histiocytic features, **67**
Soardo G *see* Pirisi M *et al*
Soares J *see* Pinto AE *et al*
see Rosa JC *et al*
Sohda T *et al.* Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**
Sökmensüer C *see* Demirhan B *et al*
Sonoo H *see* Shimizu M *et al*
Southgate J *see* Harnden P and Southgate J
Spano AI *see* Bitti A *et al*
Spencer J *see* Hauer AC *et al*
Spigaglia P *see* Bitti A *et al*
Sportelli G *see* Amoroso A *et al*
Squier MV. Pathological approach to the diagnosis of hydrocephalus: *leader*, **181**
Srivastava G *see* Chan KW *et al*
Stamatakis JD *see* Bull AD *et al*
Steele RJC *see* Bull AD *et al*
Stephen MR *et al.* Effusion cytology of hepatocellular carcinoma with in situ hybridisation for human albumin, **442**
Sterrantino G *see* Dionisio D *et al*
Stevens FM *et al.* Abnormal pancreolauryl tests in coeliac disease: lack of correlation with the degree of intestinal mucosal damage, **1001**
Stevenson KJ *see* Craig S *et al*
see Dufty JMK *et al*
Stewart CJR. Is the proficiency test in cervical cytology proficient?: *leader*, **450**
Stewart ASJ *see* Harper SJ *et al*
Stolz E *see* Baay MFD *et al*
Street ME *et al.* Girls with virilisation in childhood: a diagnostic protocol for investigation, **379**
Stroffolini T *see* Guadagnino V *et al*
Suárez C *see* González MV *et al*
Sugino T *see* Gorham H *et al*
Sur M *et al.* Lack of correlation of P-glycoprotein expression with response to MIC chemotherapy in oesophageal cancer: *correspondence*, **534**
Sur RK *see* Sur M *et al*
Szekanecz Z *et al.* Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues, **314**

Taberner DA *see* Craig S *et al*
see Dufty JMK *et al*
Tadaoka Y *see* Shimizu M *et al*
Tahara E *see* Hamamoto T *et al*
Takeda T *see* Wakasugi E *et al*
Taketa K *see* Yamamoto R *et al*
Talbot IC *see* Ilyas M *et al*
Tamaki Y *see* Wakasugi E *et al*
Tandon RK *see* Pokharna RK *et al*
Tani A *see* Dionisio D *et al*
Targett GAT. Designing a malaria vaccine: *editorial*, **535**
Tarin D *see* Gorham H *et al*
Taylor FC *et al.* Costs and effectiveness of a nurse specialist anticoagulant service, **823**
Taylor L *see* Cooper K *et al*
see Sur M *et al*
Teare J *see* Lloyd J *et al*
Telesinghe PU *see* Kafeel G and Telesinghe PU
Thayer H *see* Edwards A *et al*
Theaker JM *see* Bateman AC *et al*
Theodossi A *see* Jenkins D *et al*
Thobie N *see* Christeff N *et al*
Thomas D *see* Kite P *et al*
Thomas G *see* Gledhill A *et al*
Thomas MD *et al.* A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
Thomas R *see* Kay EW *et al*
Thompson D *see* Montironi R *et al*
Thornton-Holmes J *see* Womack C *et al*
Threlfall EJ *et al.* Resistance to ciprofloxacin in pathogenic Enterobacteriaceae in England and Wales in 1996, **1027**
Thurnham DI. Micronutrients and immune function: some recent developments: *leader*, **887**
Thyss A *see* Lagrange M *et al*
Tighe MJ *see* Kite P *et al*
Tilston P. Anal human papillomavirus and anal cancer: *leader*, **625**
Tjalma W *et al.* Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix, **33**
Tomlinson IPM *see* Ilyas M *et al*
Tong CYW *et al.* Lowering the cut off value of an automated chlamydia enzyme immunoassay and confirmation by PCR and direct immunofluorescent antibody test, **681**
Torres A *see* Sánchez J *et al*
Trajman A *et al.* Intestinal immune cells in *Strongyloides stercoralis* infection, **991**
Tsai J-S *see* Chang H-Y *et al*
Tsukidate C *see* Naito I *et al*
Tsunoda T *see* Ohmoto K *et al*

Turhan G *see* Delabesse E *et al*
Turley H *see* Banham AH *et al*
Turlin B, Deugnier Y. Histological assessment of liver siderosis: *correspondence*, **971**
Turrin M *see* Doglioni C *et al*
Tytgat GNJ *see* Schultsz C *et al*

Uchida Y *see* Yamano S *et al*
Uchino H *et al.* Expression of intestinal trefoil factor mRNA is downregulated during progression of colorectal carcinomas, **932**
Uda H *see* Kuwabara H and Uda H
Urru G *see* Bitti A *et al*

Vaheri A *see* Akenami FOT *et al*
see Gencay M *et al*
Vallance DT *see* Winder AF *et al*
van Dam P *see* Tjalma W *et al*
see van Diest PJ *et al*
van den Besselaar AMHP. Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
Vandenbroucke A-T *see* Gala J-L *et al*
van den Brule AJC *see* Brink AATP *et al*
van der Burg MEL *see* van Diest PJ *et al*
Vandercam B *see* Gala J-L *et al*
van der Voort J *see* Edwards A *et al*
van Diest PJ *see* Meijer GA *et al*
van Diest PJ *et al.* A scoring system for immunohistochemical staining: consensus report of the task force for basic research of the EORTC-GCCG: *leader*, **801**
van Ketel R *see* Schultsz C *et al*
van Marck E *see* Tjalma W *et al*
Vardaxis NJ *et al.* Sporicidal activity of chemical and physical tissue fixation methods, **429**
Varet B *see* Delabesse E *et al*
Vargas SO *et al.* Evaluation of a new enzyme immunoassay for *Clostridium difficile* toxin A, **996**
Vasquez E *see* Fraggetta F *et al*
Venning M *see* Roberts ISD *et al*
Veress B *see* Islam D *et al*
Vergote I *see* van Diest PJ *et al*
Verhaegen J *see* Mewis A *et al*
Vérola O *see* Delabesse E *et al*
Verrier Jones K *see* Edwards A *et al*
Vidal MT *see* Masmiquel L *et al*
Viganò P *see* Boldorini R *et al*
Vilain MO *see* Leroy X *et al*
Virmani AK *see* Yashima K *et al*
Vitulli D *see* Pirisi M *et al*

Wagenaar M *see* Hendrix RMG *et al*
Wahlström T *see* Gencay M *et al*
Wakasugi E *et al.* Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**
Wakefield AJ *see* Anthony A *et al*
see Daszak P *et al*
Wakelin D *see* Coutinho HB *et al*
Walker F *see* Coutinho HB *et al*
Walsh CB *see* Kay EW *et al*
Walters C *et al.* Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation, **749**
Ward LR *see* Threlfall EJ *et al*
Warner M, Kelton JG. Laboratory investigation of immune thrombocytopenia: *leader*, **5**
Warren BF *et al.* Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease: *correspondence*, **880**
Watanabe H *see* Ajioka Y *et al*
Wax TD *see* Mooney EE *et al*
Weber A *see* Street ME *et al*
Weinstein WM *see* Bernstein CN *et al*
Wells AD *see* Womack C *et al*
West KP *see* Snowden JA *et al*
Weyler J *see* Tjalma W *et al*
White K *see* Baglin TP *et al*
Whyte AS *see* Brogan O *et al*
Whyte-Alleng C *see* Cooper ES *et al*
Wight CO *et al.* Gastric outflow obstruction caused by gall stones and leading to death by complex metabolic derangement, **963**
Wilcock GK *et al.* Brain tissue banks in psychiatric and neurological research: *correspondence*, **355**
Wilcox MH *see* Kite P *et al*
Wilkinson K *see* Ilyas M *et al*
Williams GT *see* Bull AD *et al*
see Jenkins D *et al*
see Warren BF *et al*
Williams JH *et al.* Tissue preparation for immunocytochemistry, **422**
Williams JO *et al.* Audit of necropsy reporting in East Anglia, **691**
The use of histopathology in the practice of necropsy, **695**
Willis JI *see* Erber WN *et al*
Win MN *see* Jackson N *et al*
Winder AF. Antioxidants, cholesterol, and ischaemic heart disease: CHAOS or confusion?: *commentary*, **269**
Winder AF *et al.* Investigation of dyslipidaemias: *leader*, **721**

Winfield DA *see* Snowden JA *et al*
Winter J *see* Back W *et al*
Wirbel E *see* Christeff N *et al*
Womack C *et al.* Colorectal cancer reporting: *correspondence*, **881**
Wong KY *see* Chan KW *et al*
Woo PCY *et al.* Detection of CMV DNA in bone marrow transplant recipients. plasma versus leucocyte polymerase chain reaction, **231**
Woodman CBJ *see* Dey P *et al*
Wright D *et al.* Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group, **128**
Wright DH *see* Singh N and Wright DH
see Williams JH *et al*
Wu PC *see* Lau GKK *et al*
Wyatt BA *see* Williams JO *et al*
see Williams JO *et al*
Wyatt JI *see* Cadman B *et al*
see O'Shea U *et al*

Yam LYC *see* Lam KY *et al*
Yamamoto R *et al.* Lectin affinity electrophoresis in a yolk sac tumour in the vagina with yolk sac tumour-type glycoform of α fetoprotein, **856**
Yamamoto S *see* Ohmoto K *et al*
Yamamoto Y *see* Mikami T *et al*
Yamano S *et al.* Retrovirus in salivary glands from patients with Sjögren's syndrome, **223**
Yanagihara T *see* Maruno M *et al*
Yang P. Comparative evaluation of unfixed and fixed human neutrophils for determination of antineutrophil cytoplasmic antibodies by indirect immunofluorescence, **677**
Yao T *see* Hizawa K *et al*
Yashima K *et al.* Telomerase activity and in situ telomerase RNA expression in malignant and non-malignant lymph nodes, **110**
Yasui W *see* Hamamoto T *et al*
Yates MD *see* Drobniewski FA and Yates MD
Yeo N *see* Boyde AM *et al*
Yeo WW *see* Wight CO *et al*
Yokota T *see* Ikeda S-I *et al*
Yokoyama M *see* Mikami T *et al*
Yokozaki H *see* Hamamoto T *et al*
Yomura W *see* Shimizu T *et al*
Yong RYY *see* Chow VTK *et al*
Yoshida K *see* Gorham H *et al*
Yu KW *see* Harn H *et al*
Yueh KC *see* Harn H *et al*
Yuen KY *see* Woo PCY *et al*
Yuen ST *see* Lau GKK *et al*
Yun K *see* Sohda T *et al*
Yunotani S *see* Hamamoto T *et al*

Zadik PM *see* Davies S and Zadik PM
Zaki M *see* Jackson N *et al*
Zanelli M *see* Leone O *et al*
Zhao M, Zimmermann A. Apoptosis in human hepatocellular carcinoma and in liver cell dysplasia is correlated with p53 protein immunoreactivity, **394**
Zidan A *et al.* Oestrogen and progesterone receptor assessment in core biopsy specimens of breast carcinoma, **27**
Zimmermann A *see* Zhao M and Zimmermann A
Zorludemir S *see* Paydas S *et al*
Zucchi A *see* Colecchia M *et al*
Zuckerman AJ *see* Zuckerman JN and Zuckerman AJ
Zuckerman JN, Zuckerman AJ. Hepatitis—how far down the alphabet?: *editorial*, **1**
Zvetkova I *see* Morris A and Zvetkova I

VOLUME 50 • SUBJECT INDEX

acute phase response, Plasma proteins in children with trichuris dysentery syndrome, **236**

adenocarcinoma, Duodeno-jejunal adenocarcinoma and coeliac disease: *correspondence*, **619**

adhesion molecules, Increased soluble ICAM-1 concentration and impaired delayed-type hypersensitivity skin tests in patients with chronic liver disease, **50**

adiaspiromycosis, Pulmonary adiaspiromycosis in a two year old girl, **82**

adrenal gland, A simple technique for identifying the adrenal glands at necropsy, **263**

adrenal vein, A simple technique for identifying the adrenal glands at necropsy, **263**

aging, Molecular pathogenesis of aging and cancer: are telomeres and telomerase the connection?: *editorial*, **799**

AgNOR, HpSS: a new silver staining method for *Helicobacter pylori* , **461**

AIDS, *Enterocytozoon biencusi* in AIDS: symptomatic relief and parasite changes after furazolidone, **472**

Itraconazole solution: higher serum drug concentrations and better clinical response rates than the capsule formulation in acquired immunodeficiency syndrome patients with candidosis, **477**

Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**

What have we learnt from AIDS?: *editorial*, **885**

alanine aminotransferase assay, Alanine aminotransferase assay to detect anti-HCV positive subjects in non-selected populations: *correspondence*, **709**

albumin, Effusion cytology of hepatocellular carcinoma with in situ hybridisation for human albumin, **442**

alcohol consumption, Effect of low to moderate levels of smoking and alcohol consumption on serum immunoglobulin concentrations, **819**

alcohol estimation, Alcohol estimation at necropsy: epidemiology, economics, and the elderly, **197**

Alcohol estimation at necropsy: epidemiology, economics and the elderly: *correspondence*, **796**

alkaline phosphatase, A comparative study of digoxigenin, 2,4-dinitrophenyl, and alkaline phosphatase as deoxyoligonucleotide labels in non-radioisotopic in situ hybridisation, **686**

alkaline phosphate anti-alkaline phosphatase, Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**

allograft, HIV-1 detection by nested PCR and viral culture in fresh or cryopreserved postmortem skin: potential implications for skin handling and allografting, **481**

Alport's syndrome, Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**

amylase, Biochemical assessment of pancreatic disease in human immunodeficiency virus infected men, **674**

amyloid, Systemic reactive amyloidosis associated with Castleman's disease: serial changes of the concentrations of acute phase serum amyloid A and interleukin 6 in serum, **965**

amyloidosis, β_2 Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**

anaerobes, Use of prototype automated blood culture system and gas-liquid chromatography for the analysis of continuous ambulatory peritoneal dialysis associated infection, **241**

anal cancer, Anal human papillomavirus and anal cancer: *leader*, **625**

anaplastic large cell lymphoma, Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group, **128**

anatomy, Ulceration of the ileum in Crohn's disease: correlation with vascular anatomy, **1013**

androgens, Effect of interferon α on high serum androgen concentrations in HIV positive men with Kaposi's sarcoma, **341**

aneurysm, Atypical manifestations in a patient with systemic lupus erythematosus, **174**

angiolymphoid hyperplasia, Angiolymphoid hyperplasia with eosinophilia in the colon: a novel cause of rectal bleeding, **611**

angiotropic lymphoma, Angiotropic lymphoma: report of a case with histiocytic features, **67**

antenatal serology, Antenatal serological testing and prevention of haemolytic disease of the newborn: *leader*, **193**

antenatal testing, Antenatal serological testing and prevention of haemolytic disease of the newborn: *leader*, **193**

anticardiolipin antibody, Bone marrow necrosis in antiphospholipid syndrome, **261**

anticoagulants administration and dosage, Local INR correction: justification for a simplified approach, **783**

anticoagulation, Costs and effectiveness of a nurse specialist anticoagulant service, **823**

antineutrophil cytoplasmic antibodies, Comparative evaluation of unfixed and fixed human neutrophils for determination of antineutrophil cytoplasmic antibodies by indirect immunofluorescence, **677**

antioxidants, Antioxidants, cholesterol, and ischaemic heart disease: CHAOS or confusion?: *commentary*, **269**

antiphospholipid syndrome, Antiphospholipid syndrome: *editorial*, **973**

Bone marrow necrosis in antiphospholipid syndrome, **261**

antithrombotic prophylaxis, Fatal pulmonary embolism in hospitalised medical patients, **609**

apoptosis, Apoptosis in haematological malignancies: *leader*, **361**

Apoptosis in human hepatocellular carcinoma and in liver cell dysplasia is correlated with p53 protein immunoreactivity, **394**

Detection of apoptosis by the TUNEL technique in clinically localised prostatic cancer before and after combined endocrine therapy, **384**

Intra-abdominal sepsis: an immunocytochemical study of the small intestine mucosa, **294**

appendix, Involvement of the appendix in pseudomembranous colitis, **70**

Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**

architectural patterns, Cytological and architectural heterogeneity in ductal carcinoma in situ of the breast, **596**

artificial nose technology, Screening for bacterial vaginosis: a novel application of artificial nose technology, **790**

ascitic fluid, Effusion cytology of hepatocellular carcinoma with in situ hybridisation for human albumin, **442**

***Aspergillus glaucus*,** Contamination of microscope slides with *Aspergillus glaucus* group A: a laboratory problem in the diagnosis of suspected mycotic infections, **699**

atherogenesis, Is lipid oxidation essential for atherogenesis?: *commentary*, **268**

attitudes, Attitudes of medical students to necropsy, **64**

Continuing medical education for pathologists: an evaluation of the Royal College of Pathologists' Wessex pilot scheme, **1022**

audit, A questionnaire-based survey of errors in diagnostic histopathology throughout the United Kingdom, **457**

A review of 50 consecutive cytology cell block preparations in a large general hospital, **985**

Colorectal cancer pathology reporting: a regional audit, **138**

Colorectal cancer reporting: are we failing the patient?: *editorial*, **266**

Colorectal cancer reporting: *correspondence*, **881**

Completeness of reporting on prognostic factors for breast cancer: a regional survey, **829**

The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**

autocrine/paracrine growth, Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**

autoimmune disease, Expression of tenascin in lymphocytic autoimmune thyroiditis, **863**

autoimmune thyroiditis, Lithium associated autoimmune thyroiditis, **172**

autoimmunity, Detection of perforin and tumour necrosis factor α mRNA expressing cells in sclerosing lymphocytic lobulitis of the breast, **310**

automated haematological analyser, Unusual eosinophilia not detected by an automated haematological analyser in a patient with liver cirrhosis, **967**

automated immunoperoxidase, Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall and disease free survival, **586**

autopsy, A survey of general practitioners' views on autopsy reports, **548**

avidin-biotin complex, Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**

β_2 microglobulin, β_2 Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**

bacteraemia, The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**

bacterial adhesion, Intra-abdominal sepsis: an immunocytochemical study of the small intestine mucosa, **294**

bacterial endospores, Sporicidal activity of chemical and physical tissue fixation methods, **429**

bacterial translocation, Intra-abdominal sepsis: an immunocytochemical study of the small intestine mucosa, **294**

bacterial vaginosis, Screening for bacterial vaginosis: a novel application of artificial nose technology, **790**

Barrett's oesophagus, Mutation analysis of the p53, APC, and p16 genes in the Barrett's oesophagus, dysplasia, and adenocarcinoma, **212**

basal cell carcinoma, Proliferation indexes—a comparison between cutaneous basal and squamous cell carcinomas: *correspondence*, **355**

Bayesian belief network, Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**

bcl-2, Bcl-2 protein does not help to distinguish benign from malignant lymphoid nodules in bone marrow biopsy specimens: *correspondence*, **87**
Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix, **33**

biopsy diagnosis, Biopsy diagnosis of prostatic cancer—current areas of concern: *editorial*, **265**
Guidelines for the initial biopsy diagnosis of suspected chronic idiopathic inflammatory bowel disease. The British Society of Gastroenterology Initiative: *leader*, **93**
Simple objective criteria for diagnosis of causes of acute diarrhoea on rectal biopsy, **580**

biopsy specimen, Histological patchiness and sparing of the rectum in ulcerative colitis: refuting the dogma: *correspondence*, **354**

blood culture, Comparison of commercial slide agglutination kits with a tube coagulase test for the rapid identification of *Staphylococcus aureus* from blood culture, **164**
The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**

blood transfusion, Fatal *Yersinia enterocolitica* transfusion reaction: *correspondence*, **796**

blood vessels, Ulceration of the ileum in Crohn's disease: correlation with vascular anatomy, **1013**

bone marrow biopsy, Bcl-2 protein does not help to distinguish benign from malignant lymphoid nodules in bone marrow biopsy specimens: *correspondence*, **87**

bone marrow granulomas, Bone marrow granulomas in infiltrating lobular breast cancer, **166**

bone marrow necrosis, Bone marrow necrosis in antiphospholipid syndrome, **261**

bone marrow reporting, Haematological validation of a computer-based bone marrow reporting system, **375**

bone marrow transplantation, Bronchial mucoepidermoid carcinoma after allogeneic bone marrow transplantation, **969**
Detection of CMV DNA in bone marrow transplant recipients: plasma versus leucocyte polymerase chain reaction, **231**
Langerhans' cells are depleted in chronic graft versus host disease, **305**
Unrelated donor bone marrow transplantation: its use in leukaemias and allied disorders: *editorial*, **91**

bone marrow trephines, A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies, **521**
An enhanced immunocytochemical method for staining bone marrow trephine sections, **389**
Use of methyl methacrylate resin for embedding bone marrow trephine biopsy specimens, **45**

bone marrow tumour cells, Non-specifically labelled cells that simulate bone marrow metastases in patients with non-metastatic breast cancer, **206**

bone resorption, Giant cells in pigmented villo nodular synovitis express an osteoclast phenotype, **605**

Bouin's fixative, A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies, **521**

brain tissue banks, Brain tissue banks in psychiatric and neurological research: *correspondence*, **355**

breast cancer, Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**
Angiogenesis and inflammation in invasive carcinoma of the breast, **669**
Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall anddisease free survival, **586**
Completeness of reporting on prognostic factors for breast cancer: a regional survey, **829**
Flow cytometric DNA hypertetraploidy is associated with unfavourable prognostic features in breast cancer, **591**
Non-specifically labelled cells that simulate bone marrow metastases in patients with non-metastatic breast cancer, **206**
Oestrogen and progesterone receptor assessment in core biopsy specimens of breast carcinoma, **27**

bronchoalveolar lavage, Pulmonary alveolar proteinosis: diagnosis using routinely processed smears of bronchoalveolar lavage fluid, **981**

B-small lymphocytic lymphoma, The value of immunohistochemistry on paraffin wax embedded tissue sections in the differentiation of small lymphocytic and mantle cell lymphomas, **16**

Burkitt lymphoma, Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group, **128**

C reactive protein, Expression of the interleukin 6 receptor in primary renal cell carcinoma, **835**

cadherins, Expression of E-cadherin in oesophageal carcinomas from the UK and China: disparities in prognostic significance, **640**

CagA antibodies, Serum CagA antibodies in asymptomatic subjects and patients with peptic ulcer: *correspondence*, **620**

campylobacter, Fatal *Campylobacter jejuni* infection in a patient splenectomised for thalassaemia, **436**

cancer, Kikuchi's lymphadenitis and carcinoma of the stomach, **530**
Molecular pathogenesis of aging and cancer: are telomeres and telomerase the connection?: *editorial*, **799**
Telomerase in the early detection of cancer: *leader*, **106**

candidosis, Itraconazole solution: higher serum drug concentrations and better clinical response rates than the capsule formulation in acquired immunodeficiency syndrome patients with candidosis, **477**

caramel smell, Lancefield grouping and smell of caramel for presumptive identification and assessment of pathogenicity in the *Streptococcus milleri* group, **332**

carcinoembryonic antigen, Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**

carcinoid, Widespread neuroendocrine malignancy within the central nervous system: a diagnostic conundrum, **440**

carcinosarcoma, Malignant eccrine spiradenoma with carcinomatous and sarcomatous elements, **871**

cardiovascular disease, Fibrinogen and cardiovascular disease: *leader*, **13**

cardiovascular risk factor, Elevated serum sialic acid in pregnancy, **494**

Castleman's disease, Systemic reactive amyloidosis associated with Castleman's disease: serial changes of the concentrations of acute phase serum amyloid A and interleukin 6 in serum, **965**

cathepsin D, Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall anddisease free survival, **586**

catheter related sepsis, Evaluation of a novel endoluminal brush method for in situ diagnosis of catheter related sepsis, **278**

CD31, CD31 (JC70) expression in plasma cells: an immunohistochemical analysis of reactive and neoplastic plasma cells, **490**

CD4+ T lymphocytopenia, Common variable immunodeficiency with CD4+ T lymphocytopenia and overproduction of soluble IL-2 receptor associated with Turner's syndrome and dorsal kyphoscoliosis, **876**

CD87, Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues, **314**

Cdk2, Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**

CDR3, Analysis of T cell receptor β chain CDR3 size using RNA extracted from formalin fixed paraffin wax embedded tissue, **811**

CD-ROM, Conversion of a traditional image archive into an image resource on compact disc, **544**

cell adhesion molecules, CD31 (JC70) expression in plasma cells: an immunohistochemical analysis of reactive and neoplastic plasma cells, **490**

cell block, A review of 50 consecutive cytology cell block preparations in a large general hospital, **985**

c-erbB-2, Immunoexpression of c-erbB-2 and p53 in benign and malignant salivary neoplasms with myoepithelial differentiation, **661**

cerebral oedema, Dilutional hyponatraemia: a cause of massive fatal intraoperative cerebral oedema in a child undergoing renal transplantation, **444**

cerebrospinal fluid, Cerebrospinal fluid analysis in clinical diagnosis: *leader*, **187**
Cerebrospinal fluid plasminogen activator inhibitor-1 in patients with neurological disease, **157**

cervical cancer, Alterations in exon 1 of c-myc and expression of $p62^{c\text{-}myc}$ in cervical squamous cell carcinoma, **896**
Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix, **33**

cervical cytology, Is proficiency testing in cervical cytology proficient?: *editorial*, **536**
Is the proficiency test in cervical cytology proficient?: *leader*, **450**
Rapid review of cervical cytology: *correspondence*, **87**

chemical analysis, Cerebrospinal fluid analysis in clinical diagnosis: *leader*, **187**

chemical fixation methods, Sporicidal activity of chemical and physical tissue fixation methods, **429**

chemical pathology, Towards an effective and successful clinical liaison service in chemical pathology: *leader*, **538**

childhood non-Hodgkin lymphoma, Childhood non-Hodgkin's lymphomas in the United Kingdom: *correspondence*, **709**
Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group, **128**

children, A urine analysis method suitable for children's nappies, **569**
Girls with virilisation in childhood: a diagnostic protocol for investigation, **379**

China, Expression of E-cadherin in oesophageal carcinomas from the UK and China: disparities in prognostic significance, **640**
***Chlamydia trachomatis*, *Chlamydia trachomatis* detected in human placenta, **852**
Lowering the cut off value of an automated chlamydia enzyme immunoassay and confirmation by PCR and direct immunofluorescent antibody test, **681**
cholesterol, Antioxidants, cholesterol, and ischaemic heart disease: CHAOS or confusion?: *commentary*, **269**
Investigation of dyslipidaemias: *leader*, **721**
chromosome aberrations, Numerical chromosomal aberrations in Hodgkin's disease detected by in situ hybridisation on routine paraffin sections, **553**
chronic hepatitis C, Hepatic histology of patients with HIV infection and chronic hepatitis C treated with interferon, **735**
In situ detection of lipid peroxidation in chronic hepatitis C: correlation with pathological features, **401**
Mild abnormalities in liver histology associated with chronic hepatitis: distinction from normal liver histology, **929**
chronic idiopathic inflammatory bowel disease, Guidelines for the initial biopsy diagnosis of suspected chronic idiopathic inflammatory bowel disease. The British Society of Gastroenterology Initiative: *leader*, **93**
Simple objective criteria for diagnosis of causes of acute diarrhoea on rectal biopsy, **580**
chronic liver disease, Increased soluble ICAM-1 concentration and impaired delayed-type hypersensitivity skin tests in patients with chronic liver disease, **50**
chronic non-specific pleuritis, Quantitation in inflammatory pleural disease to distinguish tuberculous and paramalignant from chronic non-specific pleuritis, **935**
ciprofloxacin, Comparison of methods for the isolation of methicillin resistant *Staphylococcus aureus*, **257**
Resistance to ciprofloxacin in pathogenic Enterobacteriaceae in England and Wales in 1996, **1027**
cirrhosis, Late stage congestive gastropathy, **350**
Unusual eosinophilia not detected by an automated haematological analyser in a patient with liver cirrhosis, **967**
clear cell, Clear cell mammary malignant myoepithelioma with abundant glycogens, **700**
clinical audit, Audit of necropsy reporting in East Anglia, **691**
clinical biochemistry, Towards an effective and successful clinical liaison service in chemical pathology: *leader*, **538**
clinical liaison, The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**
Towards an effective and successful clinical liaison service in chemical pathology: *leader*, **538**
clonality, Mastocytosis: reactive or neoplastic?, **525**
Molecular analysis of clonality in Kaposi's sarcoma, **664**
***Clostridium difficile* toxin,** Evaluation of a new enzyme immunoassay for *Clostridium difficile* toxin A, **996**
***Clostridium sordellii*,** A fatal postpartum *Clostridium sordellii* associated toxic shock syndrome, **259**
c-myc, Alterations in exon 1 of c-myc and expression of $p62^{c\text{-}myc}$ in cervical squamous cell carcinoma, **896**
coagulopathy, Urinary tissue factor in glomerulonephritis: a potential marker of glomerular injury?, **336**
coeliac disease, Abnormal pancreolauryl tests in coeliac disease: lack of correlation with the degree of intestinal mucosal damage, **1001**
Duodeno-jejunal adenocarcinoma and coeliac disease: *correspondence*, **619**
Peptic duodenitis—does it exist in the second part of the duodenum?, **54**
Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
collagen IV, Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**
colon, Angiolymphoid hyperplasia with eosinophilia in the colon: a novel cause of rectal bleeding, **611**
β_2 Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
colon carcinoma, Expression of intestinal trefoil factor mRNA is downregulated during progression of colorectal carcinomas, **932**
colonic obstruction, Colonic obstruction and perforation related to heavy *Trichuris trichiura* infestation, **615**
colorectal adenoma, MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**
colorectal cancer, Colorectal cancer pathology reporting: a regional audit, **138**
Colorectal cancer reporting: are we failing the patient?: *editorial*, **266**
Colorectal cancer reporting: *correspondence*, **881**
Familial cancer: histopathological perspectives, **892**
Tumour recurrence is associated with Jass grouping but not with differences in E-cadherin expression in moderately differentiated Dukes' B colorectal cancers, **218**
common variable immunodeficiency, Common variable immunodeficiency with CD4+ T lymphocytopenia and overproduction of soluble IL-2 receptor associated with Turner's syndrome and dorsal kyphoscoliosis, **876**
computer assisted instruction, Conversion of a traditional image archive into an image resource on compact disc, **544**
computerised laboratory data, Benefits and limitations of computerised laboratory data: *editorial*, **448**
computing, Re-engineering pathology: an IT solution to the data conundrum, **815**
congestive gastropathy, Late stage congestive gastropathy, **350**
consensus statement, Unrelated donor bone marrow transplantation: its use in leukaemias and allied disorders: *editorial*, **91**
contamination, Contamination of microscope slides with *Aspergillus glaucus* group A: a laboratory problem in the diagnosis of suspected mycotic infections, **699**
continuing medical education, Continuing medical education for pathologists: an evaluation of the Royal College of Pathologists' Wessex pilot scheme, **1022**
continuous ambulatory peritoneal dialysis, Use of prototype automated blood culture system and gas-liquid chromatography for the analysis of continuous ambulatory peritoneal dialysis associated infection, **241**
core biopsy specimens, Oestrogen and progesterone receptor assessment in core biopsy specimens of breast carcinoma, **27**
cost effectiveness, Costs and effectiveness of a nurse specialist anticoagulant service, **823**
Sputum cytology: a limited role, **566**
The impact of blood culture reporting and clinical liaison on the empiric treatment of bacteraemia, **1010**
CpG island, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
Crohn's disease, Defining epithelioid cell granulomas: *correspondence*, **880**
Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease, **148**
Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease: *correspondence*, **880**
Ulceration of the ileum in Crohn's disease: correlation with vascular anatomy, **1013**
cryptolytic epithelioid granuloma, Defining epithelioid cell granulomas: *correspondence*, **880**
Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease: *correspondence*, **880**
crypts of Lieberkuhn, Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease, **148**
culture media, Use of CHROMagar Candida for genital specimens in the diagnostic laboratory, **563**
culture systems, Use of prototype automated blood culture system and gas-liquid chromatography for the analysis of continuous ambulatory peritoneal dialysis associated infection, **241**
cyclin D, The value of immunohistochemistry on paraffin wax embedded tissue sections in the differentiation of small lymphocytic and mantle cell lymphomas, **16**
cyclin E, Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**
cysteamine, *Helicobacter pylori* does not release cysteamine into gastric juice, **769**
cytokeratins, Cytokeratin 14 as a marker of squamous differentiation in transitional cell carcinomas, **1032**
cytokines, Analysis of TH1 and TH2 cytokine production in low grade B cell gastric MALT-type lymphomas stimulated in vitro with *Helicobacter pylori*, **957**
Cytokine research: the interferon paradigm: *leader*, **635**
cytological grade, Cytological and architectural heterogeneity in ductal carcinoma in situ of the breast, **596**
cytology, Fine needle aspiration cytology: *leader*, **541**
Immunocytochemical expression of tissue specific transcription factor-1 in lung carcinoma, **30**
cytomegalovirus, Detection of CMV DNA in bone marrow transplant recipients: plasma versus leucocyte polymerase chain reaction, **231**
Widespread presence of cytomegalovirus DNA in tissues of healthy trauma victims, **59**
cytometry, Image analysis in clinical pathology: *leader*, **365**
cytotoxicity assay, Evaluation of a new enzyme immunoassay for *Clostridium difficile* toxin A, **996**

deafness, Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**
degree of inflammation, Quantitative assessment of IgG and IgA subclass producing cells in rectal mucosa during shigellosis, **513**
delayed-type hypersensitivity, Increased soluble ICAM-1 concentration and impaired delayed-type hypersensitivity skin tests in patients with chronic liver disease, **50**
dengue viruses, Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
diabetes mellitus, Gastric outflow obstruction caused by gall stones and leading to death by complex metabolic derangement, **963**
diagnosis, A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**

A questionnaire-based survey of errors in diagnostic histopathology throughout the United Kingdom, **457**
Diagnosis of thin melanoma: *correspondence*, **619**
Screening for bacterial vaginosis: a novel application of artificial nose technology, **790**
What's new in the diagnosis of head injury?: *leader*, **271**
diagnostic decision support systems, Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**
diagnostic distance, Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**
differential diagnosis, HBME-1 and antithrombomodulin in the differential diagnosis of malignant mesothelioma of pleura, **859**
Ovarian granulomas: a report of 32 cases, **324**
diffuse axonal injury, What's new in the diagnosis of head injury?: *leader*, **271**
digoxigenin, A comparative study of digoxigenin, 2,4-dinitrophenyl, and alkaline phosphatase as deoxyoligonucleotide labels in non-radioisotopic in situ hybridisation, **686**
2,4-dinitrophenyl, A comparative study of digoxigenin, 2,4-dinitrophenyl, and alkaline phosphatase as deoxyoligonucleotide labels in non-radioisotopic in situ hybridisation, **686**
direct immunofluorescent antibody test, Lowering the cut off value of an automated chlamydia enzyme immunoassay and confirmation by PCR and direct immunofluorescent antibody test, **681**
direct-tube coagulase, Comparison of commercial slide agglutination kits with a tube coagulase test for the rapid identification of *Staphylococcus aureus* from blood culture, **164**
dissection, Atypical manifestations in a patient with systemic lupus erythematosus, **174**
DNA, Widespread presence of cytomegalovirus DNA in tissues of healthy trauma victims, **59**
DNA hypertetraploidy, Flow cytometric DNA hypertetraploidy is associated with unfavourable prognostic features in breast cancer, **591**
DNA probe hybridisation, Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
drug resistance, Designing a malaria vaccine: *editorial*, **535**
ductal carcinoma in situ, Cytological and architectural heterogeneity in ductal carcinoma in situ of the breast, **596**
duodeno-jejunal adenocarcinoma, Duodeno-jejunal adenocarcinoma and coeliac disease: *correspondence*, **619**
duodenal ulcer, *Helicobacter pylori* does not release cysteamine into gastric juice, **769**
dyslipidaemia, Investigation of dyslipidaemias: *leader*, **721**
dysplastic naevi, The dysplastic naevus: *leader*, **711**

early diagnosis, Early diagnosis of signet ring cell carcinoma of the stomach: role of the Genta stain, **867**
Telomerase activity in human gynaecological malignancies, **501**
E-cadherin, Tumour recurrence is associated with Jass grouping but not with differences in E-cadherin expression in moderately differentiated Dukes' B colorectal cancers, **218**
eccrine spiradenoma, Malignant eccrine spiradenoma with carcinomatous and sarcomatous elements, **871**
economics, Alcohol estimation at necropsy: epidemiology, economics, and the elderly, **197**
Alcohol estimation at necropsy: epidemiology, economics and the elderly: *correspondence*, **796**
ectopic spleen, Intrahepatic splenic tissue, **532**
education, Conversion of a traditional image archive into an image resource on compact disc, **544**
elderly, Alcohol estimation at necropsy: epidemiology, economics, and the elderly, **197**
Alcohol estimation at necropsy: epidemiology, economics and the elderly: *correspondence*, **796**
electron microscopy, Electron microscopy and viral diagnosis, **454**
Mucopolysaccharidosis type VII associated with hydrops fetalis: histopathological and ultrastructural features with genetic implications, **252**
Pulmonary adiaspiromycosis in a two year old girl, **82**
***Emmonsia* sp,** Pulmonary adiaspiromycosis in a two year old girl, **82**
endocarditis, Endocarditis caused by *Haemophilus parainfluenzae* identified by 16S ribosomal RNA sequencing, **72**
endocervical lesions, Genotypic mapping of HPV and assessment of EBV prevalence in endocervical lesions, **904**
endodermal sinus tumour, Lectin affinity electrophoresis in a yolk sac tumour in the vagina with yolk sac tumour-type glycoform of α fetoprotein, **856**
endogenous tumour necrosis factor α, Distribution of endogenous tumour necrosis factor α in gliomas, **559**
endoluminal brush method, Evaluation of a novel endoluminal brush method for in situ diagnosis of catheter related sepsis, **278**
endometrial ossification, Endometrial ossification in a postmenopausal woman, **171**
endometriosis, Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
endomysial antibody, Peptic duodenitis—does it exist in the second part of the duodenum?, **54**
endothelial cells, Distribution of endogenous tumour necrosis factor α in gliomas, **559**
enteroadherent *Escherichia coli*, Frequency of pathogenic and enteroadherent *Escherichia coli* in patients with inflammatory bowel disease and controls, **573**
***Enterocytozoon bieneusi*,** *Enterocytozoon bieneusi* in AIDS: symptomatic relief and parasite changes after furazolidone, **472**
enzyme immunoassay, Evaluation of a new enzyme immunoassay for *Clostridium difficile* toxin A, **996**
Lowering the cut off value of an automated chlamydia enzyme immunoassay and confirmation by PCR and direct immunofluorescent antibody test, **681**
Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
enzyme linked immunosorbent assay, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
eosinophilia, Angiolymphoid hyperplasia with eosinophilia in the colon: a novel cause of rectal bleeding, **611**
Unusual eosinophilia not detected by an automated haematological analyser in a patient with liver cirrhosis, **967**
epithelioid sarcoma, Epithelioid sarcoma of the tongue, **869**
Epstein-Barr virus, Genotypic mapping of HPV and assessment of EBV prevalence in endocervical lesions, **904**
Kawasaki disease, Epstein-Barr virus and coronary artery aneurysms, **161**
Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**
Epstein's syndrome, Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**
error, A questionnaire-based survey of errors in diagnostic histopathology throughout the United Kingdom, **457**
evidence-based medicine, Defining epithelioid cell granulomas: *correspondence*, **880**
evidence-based practice, Practising by the evidence: the role of pathology: *editorial*, **447**
exon-1 alterations, Alterations in exon 1 of c-myc and expression of $p62^{c\text{-}myc}$ in cervical squamous cell carcinoma, **896**
external quality assessment, Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
external quality assurance, Is the proficiency test in cervical cytology proficient?: *leader*, **450**
extracellular matrix, Effects of oestrogen on the extracellular matrix in the endometrium of postmenopausal women, **755**
Expression of tenascin in lymphocytic autoimmune thyroiditis, **863**
extramedullary plasmacytoma, Primary extramedullary plasmacytoma of the liver, **74**

familial cancer, Familial cancer: histopathological perspectives, **892**
familial patterns, Fetal and infant origins of adult disease: *editorial*, **359**
family practice, A survey of general practitioners' views on autopsy reports, **548**
fetal and adult tissues, Expression of p21WAF1/CIP1in fetal and adult tissues: simultaneous analysis with Ki67 and p53, **645**
fetal death, Intrapericardial foregut cyst associated with intrauterine death, **962**
α fetoprotein, Lectin affinity electrophoresis in a yolk sac tumour in the vagina with yolk sac tumour-type glycoform of α fetoprotein, **856**
fetus, Pathological approach to the diagnosis of hydrocephalus: *leader*, **181**
Feulgen, Determination of proliferative activity in nasal polyps, **923**
fibrinogen, Fibrinogen and cardiovascular disease: *leader*, **13**
fibronectin, Plasma proteins in children with trichuris dysentery syndrome, **236**
fibrosis, Interstitial myofibroblasts: predictors of progression in membranous nephropathy, **123**
fine needle aspiration, A review of 50 consecutive cytology cell block preparations in a large general hospital, **985**
Correlation of fine needle aspiration cytology and frozen section biopsies in the diagnosis of thyroid nodules, **1005**
Fine needle aspiration cytology: *leader*, **541**
To operate or not to operate? The value of fine needle aspiration cytology in the assessment of thyroid swellings, **941**
fingerprint, Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**
fixation methods, Comparative evaluation of unfixed and fixed human neutrophils for determination of antineutrophil cytoplasmic antibodies by indirect immunofluorescence, **677**
Tissue preparation for immunocytochemistry, **422**
flat-type adenoma, MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**

flow cytometry, Flow cytometric DNA hypertetraploidy is associated with unfavourable prognostic features in breast cancer, **591**
Flow cytometry and applications in oncology: *leader,* **275**
foregut cyst, Intrapericardial foregut cyst associated with intrauterine death, **962**
formalin, Sporicidal activity of chemical and physical tissue fixation methods, **429**
frozen section biopsy, Correlation of fine needle aspiration cytology and frozen section biopsies in the diagnosis of thyroid nodules, **1005**
fungal morphology, Pulmonary adiaspiromycosis in a two year old girl, **82**
furazolidone, *Enterocytozoon bieneusi* in AIDS: symptomatic relief and parasite changes after furazolidone, **472**

gall stones, Gastric outflow obstruction caused by gall stones and leading to death by complex metabolic derangement, **963**
gastric biopsy, Value of routine, non-targeted biopsies in the diagnosis of gastric neoplasia, **832**
gastric cancer, Altered microsatellites in incomplete-type intestinal metaplasia adjacent to primary gastric cancers, **841**
Early diagnosis of signet ring cell carcinoma of the stomach: role of the Genta stain, **867**
Gastric mucous neck cell and intestinal goblet cell phenotypes in gastric adenocarcinoma, **741**
Juvenile polyposis of the stomach: clinicopathological features and its malignant potential, **771**
Value of routine, non-targeted biopsies in the diagnosis of gastric neoplasia, **832**
gastric outflow obstruction, Gastric outflow obstruction caused by gall stones and leading to death by complex metabolic derangement, **963**
gastric polyp, Juvenile polyposis of the stomach: clinicopathological features and its malignant potential, **771**
gastritis, Value of routine, non-targeted biopsies in the diagnosis of gastric neoplasia, **832**
gastrointestinal tract, β_2 Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
general practitioners, Lessons for the laboratory from a general practitioner survey, **283**
generalised juvenile gastrointestinal polyposis, Juvenile polyposis of the stomach: clinicopathological features and its malignant potential, **771**
genetics, Familial cancer: histopathological perspectives, **892**
Genta stain, Early diagnosis of signet ring cell carcinoma of the stomach: role of the Genta stain, **867**
gestational endometrium, Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**
girls, Girls with virilisation in childhood: a diagnostic protocol for investigation, **379**
glioma cells, Distribution of endogenous tumour necrosis factor α in gliomas, **559**
gliomas, Distribution of endogenous tumour necrosis factor α in gliomas, **559**
glomerulonephritis, Semiautomatic quantitation of macrophages in human renal biopsy specimens in proteinuric states, **118**
Urinary tissue factor in glomerulonephritis: a potential marker of glomerular injury?, **336**
glycogen, Clear cell mammary malignant myoepithelioma with abundant glycogens, **700**
graft versus host disease, Langerhans' cells are depleted in chronic graft versus host disease, **305**
granuloma, Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease, **148**
granulomatous inflammation, Ovarian granulomas: a report of 32 cases, **324**
Pulmonary adiaspiromycosis in a two year old girl, **82**
granulosa cell tumour, Increased serum concentrations of type IV collagen and laminin associated with granulosa cell tumour of the ovary, **77**
grief, A survey of general practitioners' views on autopsy reports, **548**
guidelines, Audit of necropsy reporting in East Anglia, **691**
Colorectal cancer pathology reporting: a regional audit, **138**
Guidelines for the initial biopsy diagnosis of suspected chronic idiopathic inflammatory bowel disease. The British Society of Gastroenterology Initiative: *leader,* **93**
The use of histopathology in the practice of necropsy, **695**
Gulf War Syndrome, The Gulf War Syndrome: *editorial,* **360**
gynaecological carcinoma, Telomerase activity in human gynaecological malignancies, **501**

haematological malignancies, Apoptosis in haematological malignancies: *leader,* **361**
haemodialysis, β_2 Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
haemoglobin variants, Haemoglobin O Padova and falsely low haemoglobin A_{1c} in a patient with type I diabetes, **434**
haemolytic disease of the newborn, Antenatal serological testing and prevention of haemolytic disease of the newborn: *leader,* **193**
haemopericardium, Intrapericardial foregut cyst associated with intrauterine death, **962**
Haemophilus influenzae, *Haemophilus influenzae:* an underrated cause of vulvovaginitis in young girls, **765**
Haemophilus parainfluenzae, Endocarditis caused by *Haemophilus parainfluenzae* identified by 16S ribosomal RNA sequencing, **72**
Hashimoto's thyroiditis, Hashimoto's thyroiditis associated with urticaria and angio-oedema: disappearance of cutaneous and mucosal manifestations after thyroidectomy, **254**
HBME-1, HBME-1 and antithrombomodulin in the differential diagnosis of malignant mesothelioma of pleura, **859**
head and neck squamous cell carcinoma, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
head injury, What's new in the diagnosis of head injury?: *leader,* **271**
Helicobacter pylori, Analysis of TH1 and TH2 cytokine production in low grade B cell gastric MALT-type lymphomas stimulated in vitro with *Helicobacter pylori,* **957**
HpSS: a new silver staining method for *Helicobacter pylori,* **461**
Helicobacter pylori does not release cysteamine into gastric juice, **769**
Value of routine, non-targeted biopsies in the diagnosis of gastric neoplasia, **832**
hepatitis B virus, Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
hepatitis C virus, Alanine aminotransferase assay to detect anti-HCV positive subjects in non-selected populations: *correspondence,* **709**
hepatitis, Hepatitis—how far down the alphabet?: *editorial,* **1**
hepatocellular carcinoma, Apoptosis in human hepatocellular carcinoma and in liver cell dysplasia is correlated with p53 protein immunoreactivity, **394**
Effusion cytology of hepatocellular carcinoma with in situ hybridisation for human albumin, **442**
high dose chemotherapy, Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
high performance liquid chromatography, Haemoglobin O Padova and falsely low haemoglobin A_{1c} in a patient with type I diabetes, **434**
histiocytes, Angiotropic lymphoma: report of a case with histiocytic features, **67**
histiocytosis, Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: a histological continuum?, **79**
histochemistry, HpSS: a new silver staining method for *Helicobacter pylori* , **461**
histological activity index, Mild abnormalities in liver histology associated with chronic hepatitis: distinction from normal liver histology, **929**
histological grade of atypia, MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**
histopathology, A questionnaire-based survey of errors in diagnostic histopathology throughout theUnited Kingdom, **457**
The use of histopathology in the practice of necropsy, **695**
history, Cerebrospinal fluid analysis in clinical diagnosis: *leader,* **187**
HIV, Anal human papillomavirus and anal cancer: *leader,* **625**
Biochemical assessment of pancreatic disease in human immunodeficiency virus infected men, **674**
Hepatic histology of patients with HIV infection and chronic hepatitis C treated with interferon, **735**
HIV-1 detection by nested PCR and viral culture in fresh or cryopreserved postmortem skin: potential implications for skin handling and allografting, **481**
Multiple drug resistant tuberculosis: *editorial,* **89**
Retrovirus in salivary glands from patients with Sjögren's syndrome, **223**
What have we learnt from AIDS?: *editorial,* **885**
HIV related Kaposi's sarcoma, Effect of interferon α on high serum androgen concentrations in HIV positive men with Kaposi's sarcoma, **341**
HLA class II typing, Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing, **288**
Hodgkin's disease, Numerical chromosomal aberrations in Hodgkin's disease detected by in situ hybridisation on routine paraffin sections, **553**
homozygous deletion, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
hormonal receptor status, The hormonal receptor status of uterine carcinosarcomas (mixed Müllerian tumours): an immunohistochemical study, **328**
HPV DNA physical state, Analysis of HPV16, 18, 31, and 35 DNA in pre-invasive and invasive lesions of the uterine cervix, **600**
HTLV-I, Retrovirus in salivary glands from patients with Sjögren's syndrome, **223**
human corpses, Rights of possession in human corpses: *editorial,* **90**
human hepatocellular carcinoma, Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**
human papillomavirus, Alterations in exon 1 of c-myc and expression of $p62^{c\text{-}myc}$ in cervical squamous cell carcinoma, **896**

Anal human papillomavirus and anal cancer: *leader*, **625**
Analysis of HPV16, 18, 31, and 35 DNA in pre-invasive and invasive lesions of the uterine cervix, **600**
Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Genotypic mapping of HPV and assessment of EBV prevalence in endocervical lesions, **904**
Prevalence of six types of human papillomavirus in inverted papilloma and papillary transitional cell carcinoma of the bladder: an evaluation by polymerase chain reaction, **1018**
Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix, **413**
HUMARA, Mastocytosis: reactive or neoplastic?, **525**
Molecular analysis of clonality in Kaposi's sarcoma, **664**
hydatidiform mole, Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing, **288**
hydrocephalus, Pathological approach to the diagnosis of hydrocephalus: *leader*, **181**
hydrops fetalis, Mucopolysaccharidosis type VII associated with hydrops fetalis: histopathological and ultrastructural features with genetic implications, **252**

IgA, Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
IgM, Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
IL-6 receptor, Expression of the interleukin 6 receptor in primary renal cell carcinoma, **835**
image analysis, Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall and disease free survival, **586**
Image analysis in clinical pathology: *leader*, **365**
image cytometry, Determination of proliferative activity in nasal polyps, **923**
immigration, Multiple drug resistant tuberculosis: *editorial*, **89**
immunity, Micronutrients and immune function: some recent developments: *leader*, **887**
immunochemistry, Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation, **749**
immunocompromised host, Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**
immunocytochemistry, An enhanced immunocytochemical method for staining bone marrow trephine sections, **389**
Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall and disease free survival, **586**
Non-specifically labelled cells that simulate bone marrow metastases in patients with non-metastatic breast cancer, **206**
p53 gene product expression in resected non-small cell carcinoma of the lung, with studies of concurrent cytological preparations and microwave antigen retrieval, **320**
Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
Tissue preparation for immunocytochemistry, **422**
Use of methyl methacrylate resin for embedding bone marrow trephine biopsy specimens, **45**
immunoglobulin producing cells, Quantitative assessment of IgG and IgA subclass producing cells in rectal mucosa during shigellosis, **513**
immunoglobulins, Effect of low to moderate levels of smoking and alcohol consumption on serum immunoglobulin concentrations, **819**
immunogold electron microscopy, Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
immunohistochemistry, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
A rational approach to immunohistochemical analysis of malignant lymphomas on paraffin wax sections: *editorial*, **2**
A review of 50 consecutive cytology cell block preparations in a large general hospital, **985**
A scoring system for immunohistochemical staining: consensus report of the task force for basic research of the EORTC-GCCG: *leader*, **801**
Determination of proliferative activity in nasal polyps, **923**
Epithelioid sarcoma of the tongue, **869**
In situ detection of lipid peroxidation in chronic hepatitis C: correlation with pathological features, **401**
Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**
Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix, **33**
immunohistology, Bone marrow granulomas in infiltrating lobular breast cancer, **166**
immunological detection, Detection of p53 in inflammatory tissue and lymphocytes using immunohistology and flow cytometry: a critical comment, **654**
immunostaining, A panel of antibodies for the immunostaining of Bouin's fixed bone marrow trephine biopsies, **521**
in situ hybridisation, A comparative study of digoxigenin, 2,4-dinitrophenyl, and alkaline phosphatase as deoxyoligonucleotide labels in non-radioisotopic in situ hybridisation, **686**
Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**
Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation, **749**
Effusion cytology of hepatocellular carcinoma with in situ hybridisation for human albumin, **442**
Numerical chromosomal aberrations in Hodgkin's disease detected by in situ hybridisation on routine paraffin sections, **553**
Telomerase activity and in situ telomerase RNA expression in malignant and non-malignant lymph nodes, **110**
indirect immunofluorescence, Comparative evaluation of unfixed and fixed human neutrophils for determination of antineutrophil cytoplasmic antibodies by indirect immunofluorescence, **677**
infective colitis, Simple objective criteria for diagnosis of causes of acute diarrhoea on rectal biopsy, **580**
inflammation, Angiogenesis and inflammation in invasive carcinoma of the breast, **669**
inflammatory bowel disease, Defining epithelioid cell granulomas: *correspondence*, **880**
Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
Frequency of pathogenic and enteroadherent *Escherichia coli* in patients with inflammatory bowel disease and controls, **573**
Importance of cryptolytic lesions and pericryptal granulomas in inflammatory bowel disease: *correspondence*, **880**
inflammatory cells, Immunocytochemical expression of tissue specific transcription factor-1 in lung carcinoma, **30**
inflammatory pseudotumour, Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: a histological continuum?, **79**
Inflammatory pseudotumour of the liver, **352**
information management, Re-engineering pathology: an IT solution to the data conundrum, **815**
INR, Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins, **951**
INR correction, Calculation of System International Sensitivity Index: how many calibrant plasmas are required?, **40**
in-situ hybridisation, *Chlamydia trachomatis* detected in human placenta, **852**
insulin dependent diabetes mellitus, Haemoglobin O Padova and falsely low haemoglobin A_1 in a patient with type I diabetes, **434**
insulin-like growth factor II, Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**
interferon, Cytokine research: the interferon paradigm: *leader*, **635**
interferon α-2a, Effect of interferon α on high serum androgen concentrations in HIV positive men with Kaposi's sarcoma, **341**
interleukin 6, Expression of the interleukin 6 receptor in primary renal cell carcinoma, **835**
Systemic reactive amyloidosis associated with Castleman's disease: serial changes of the concentrations of acute phase serum amyloid A and interleukin 6 in serum, **965**
intestinal goblet cells, Gastric mucous neck cell and intestinal goblet cell phenotypes in gastric adenocarcinoma, **741**
intestinal metaplasia, Altered microsatellites in incomplete-type intestinal metaplasia adjacent to primary gastric cancers, **841**
intestinal trefoil factor, Expression of intestinal trefoil factor mRNA is downregulated during progression of colorectal carcinomas, **932**
intra-abdominal sepsis, Intra-abdominal sepsis: an immunocytochemical study of the small intestine mucosa, **294**
intraepithelial lymphocyte counts, Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
intrahepatic bile duct, Solitary cystic dilatation of the intrahepatic bile duct, **617**
intrathyroidal lymphocyte subsets, Hashimoto's thyroiditis associated with urticaria and angio-oedema: disappearance of cutaneous and mucosal manifestations after thyroidectomy, **254**
intravenous fluids, Dilutional hyponatraemia: a cause of massive fatal intraoperative cerebral oedema in a child undergoing renal transplantation, **444**
inverted papilloma, Prevalence of six types of human papillomavirus in inverted papilloma and papillary transitional cell carcinoma of the bladder: an evaluation by polymerase chain reaction, **1018**
iron, Histological assessment of liver siderosis: *correspondence*, **971**
Micronutrients and immune function: some recent developments: *leader*, **887**
ischaemic heart disease, Antioxidants, cholesterol, and ischaemic heart disease: CHAOS or confusion?: *commentary*, **269**

Fetal and infant origins of adult disease: *editorial*, **359**
Fibrinogen and cardiovascular disease: *leader*, **13**
isolation and purification of yeasts, Use of CHROMagar Candida for genital specimens in the diagnostic laboratory, **563**
itraconazole solution, Itraconazole solution: higher serum drug concentrations and better clinical response rates than the capsule formulation in acquired immunodeficiency syndrome patients with candidosis, **477**

Jass group, Tumour recurrence is associated with Jass grouping but not with differences in E-cadherin expression in moderately differentiated Dukes' B colorectal cancers, **218**
juvenile polyposis, Juvenile polyposis of the stomach: clinicopathological features and its malignant potential, **771**
juvenile vulvovaginitis, *Haemophilus influenzae:* an underrated cause of vulvovaginitis in young girls, **765**

Kaposi's sarcoma, Molecular analysis of clonality in Kaposi's sarcoma, **664**
Kawasaki disease, Kawasaki disease, Epstein-Barr virus and coronary artery aneurysms, **161**
Ki67, Expression of $p21^{WAF1\ CIP1}$ in fetal and adult tissues: simultaneous analysis with Ki67 and p53, **645**
Ki-67 antigen, Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**
Ki-67 immunostaining, Topoisomerase IIα mRNA and tumour cell proliferation in non-Hodgkin's lymphoma , **22**
Kikuchi's disease, Kikuchi's lymphadenitis and carcinoma of the stomach, **530**
klebsiella, Inflammatory pseudotumour of the liver, **352**
knowledge-based systems, Haematological validation of a computer-based bone marrow reporting system, **375**

laboratory management, Haematological validation of a computer-based bone marrow reporting system, **375**
laboratory practice, Sputum cytology: a limited role, **566**
laboratory rationalisation, Re-engineering pathology: an IT solution to the data conundrum, **815**
Lambert-Eaton myasthenic syndrome, Neurological paraneoplastic syndromes: *leader*, **975**
laminin, Increased serum concentrations of type IV collagen and laminin associated with granulosa cell tumour of the ovary, **77**
Lancefield group, Lancefield grouping and smell of caramel for presumptive identification and assessment of pathogenicity in the *Streptococcus milleri* group, **332**
Langerhans' cells, Langerhans' cells are depleted in chronic graft versus host disease, **305**
large bowel, A solitary benign lymphoid polyp of the rectum in a 51 year old woman, **1034**
latency, Widespread presence of cytomegalovirus DNA in tissues of healthy trauma victims, **59**
lectin affinity electrophoresis, Lectin affinity electrophoresis in a yolk sac tumour in the vagina with yolk sac tumour-type glycoform of α fetoprotein, **856**
leukaemia, Unrelated donor bone marrow transplantation: its use in leukaemias and allied disorders: *editorial*, **91**
Leu-M1 antigen, Leu-M1 immunoreactivity and phaeochromocytoma, **168**
ligase chain reaction, Evaluation of 2-SP transport medium for detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* by two automated amplification systems and culture for chlamydia, **947**
lipase, Biochemical assessment of pancreatic disease in human immunodeficiency virus infected men, **674**
lipid oxidation, Is lipid oxidation essential for atherogenesis?: *commentary*, **268**
lipid peroxidation, In situ detection of lipid peroxidation in chronic hepatitis C: correlation with pathological features, **401**
lipoproteins, Investigation of dyslipidaemias: *leader*, **721**
lithium, Lithium associated autoimmune thyroiditis, **172**
liver, Inflammatory pseudotumour of the liver, **352**
Intrahepatic splenic tissue, **532**
Primary extramedullary plasmacytoma of the liver, **74**
Tumorous necrotic nodule in the liver: unexpected effect of the microwave tissue coagulator, **703**
liver biopsy, Hepatic histology of patients with HIV infection and chronic hepatitis C treated with interferon, **735**
Mild abnormalities in liver histology associated with chronic hepatitis: distinction from normal liver histology, **929**
liver cell dysplasia, Apoptosis in human hepatocellular carcinoma and in liver cell dysplasia is correlated with p53 protein immunoreactivity, **394**
liver malignancy, Primary epithelioid haemangioendothelioma of the liver: case report and review of the literature, **1029**
liver siderosis, Histological assessment of liver siderosis: *correspondence*, **971**
lobular breast cancer, Bone marrow granulomas in infiltrating lobular breast cancer, **166**
loss of heterozygosity, Mutation analysis of the p53, APC, and p16 genes in the Barrett's oesophagus, dysplasia, and adenocarcinoma, **212**
lung carcinoma, Immunocytochemical expression of tissue specific transcription factor-1 in lung carcinoma, **30**
p53 gene product expression in resected non-small cell carcinoma of the lung, with studies of concurrent cytological preparations and microwave antigen retrieval, **320**
lymph nodes, Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Telomerase activity and in situ telomerase RNA expression in malignant and non-malignant lymph nodes, **110**
lymphoblastic lymphoma, Childhood non-Hodgkin lymphomas in the United Kingdom: findings from the UK Children's Cancer Study Group, **128**
lymphocytic and collagenous colitis, Small intestine in lymphocytic and collagenous colitis: mucosal morphology, permeability, and secretory immunity to gliadin, **527**
lymphocytic lobulitis of the breast, Detection of perforin and tumour necrosis factor α mRNA expressing cells in sclerosing lymphocytic lobulitis of the breast, **310**
lymphocytic thyroiditis, Expression of tenascin in lymphocytic autoimmune thyroiditis, **863**
lymphoepithelial cyst, Lymphoepithelial cyst of the pancreas, **794**
lymphoid hyperplasia, A solitary benign lymphoid polyp of the rectum in a 51 year old woman, **1034**
lymphoma, A rational approach to immunohistochemical analysis of malignant lymphomas on paraffin wax sections: *editorial*, **2**
Analysis of TH1 and TH2 cytokine production in low grade B cell gastric MALT-type lymphomas stimulated in vitro with *Helicobacter pylori* , **957**
Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
Presence of Epstein-Barr virus latency type III at the single cell level in post-transplantation lymphoproliferative disorders and AIDS related lymphomas, **911**

macrophage, Semiautomatic quantitation of macrophages in human renal biopsy specimens in proteinuric states, **118**
macrothrombocytopenia, Normal distribution of collagen IV in renal basement membranes in Epstein's syndrome, **919**
malaria, Designing a malaria vaccine: *editorial*, **535**
Laboratory diagnosis of malaria: *correspondence*, **356**
malignant myoepithelioma, Clear cell mammary malignant myoepithelioma with abundant glycogens, **700**
mantle cell lymphoma, The value of immunohistochemistry on paraffin wax embedded tissue sections in the differentiation of small lymphocytic and mantle cell lymphomas, **16**
mastocytosis, Mastocytosis: reactive or neoplastic?, **525**
mdr-1, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
measles virus, Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
medical audit, A survey of general practitioners' views on autopsy reports, **548**
medical education, Attitudes of medical students to necropsy, **64**
medical students, Conversion of a traditional image archive into an image resource on compact disc, **544**
melanoma, A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**
Diagnosis of thin melanoma: *correspondence*, **619**
Diagnosis of thin melanoma: *editorial*, **179**
Urethral malignant melanoma closely mimicking urothelial carcinoma, **250**
membranous nephropathy, Interstitial myofibroblasts: predictors of progression in membranous nephropathy, **123**
mesothelioma, HBME-1 and antithrombomodulin in the differential diagnosis of malignant mesothelioma of pleura, **859**
methicillin resistance, Comparison of methods for the isolation of methicillin resistant *Staphylococcus aureus*, **257**
methyl methacrylate resin, Use of methyl methacrylate resin for embedding bone marrow trephine biopsy specimens, **45**
methylation, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
micronutrients, Micronutrients and immune function: some recent developments: *leader*, **887**
microsatellite analysis, Origin of hepatocellular carcinoma recurring after allotransplantation revealed by microsatellite analysis, **792**
microsatellite instability, Altered microsatellites in incomplete-type intestinal metaplasia adjacent to primary gastric cancers, **841**
microscope slides, Contamination of microscope slides with *Aspergillus glaucus* group A: a laboratory problem in the diagnosis of suspected mycotic infections, **699**
microwave tissue coagulator, Tumorous necrotic nodule in the liver: unexpected effect of the microwave tissue coagulator, **703**
microwave treatment, Sporicidal activity of chemical and physical tissue fixation methods, **429**
MIN, MIN terminology: *correspondence*, **619**

minimal change, Semiautomatic quantitation of macrophages in human renal biopsy specimens in proteinuric states, **118**
miscarriage, Antiphospholipid syndrome: *editorial*, **973**
molecular biology, The polymerase chain reaction in pathology, **805**
monoclonal antibody, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
monocyte/macrophage tissue factor, Urinary tissue factor in glomerulonephritis: a potential marker of glomerular injury?, **336**
morphology, Use of methyl methacrylate resin for embedding bone marrow trephine biopsy specimens, **45**
morphometry, Image analysis in clinical pathology, **365**
Quantitation in inflammatory pleural disease to distinguish tuberculous and paramalignant from chronic non-specific pleuritis, **935**
mRNA expression, Expression of intestinal trefoil factor mRNA is downregulated during progression of colorectal carcinomas, **932**
MRSA, Comparison of methods for the isolation of methicillin resistant *Staphylococcus aureus*, **257**
MUC1, MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**
MUC2, MUC1 and MUC2 mucins in flat and polypoid colorectal adenomas, **417**
mucinous cystadenoma, Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**
mucocele, Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**
mucoepidermoid carcinoma, Bronchial mucoepidermoid carcinoma after allogeneic bone marrow transplantation, **969**
mucopolysaccharidosis type VII, Mucopolysaccharidosis type VII associated with hydrops fetalis: histopathological and ultrastructural features with genetic implications, **252**
mucosal immunity, Intestinal immune cells in *Strongyloides stercoralis* infection, **991**
mucous neck cells, Gastric mucous neck cell and intestinal goblet cell phenotypes in gastric adenocarcinoma, **741**
multidrug resistance, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
multilamellated structure, Pulmonary alveolar proteinosis: diagnosis using routinely processed smears of bronchoalveolar lavage fluid, **981**
multiple drug resistant tuberculosis, Multiple drug resistant tuberculosis: *editorial*, **89**
multiple endocrine neoplasia, Leu-M1 immunoreactivity and phaeochromocytoma, **168**
Mycobacterium tuberculosis, Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**
mycotic infection, Contamination of microscope slides with *Aspergillus glaucus* group A: a laboratory problem in the diagnosis of suspected mycotic infections, **699**
MyoD1, Paediatric rhabdomyosarcoma: MyoD1 demonstration in routinely processed tissue sections using wet heat pretreatment (pressure cooking) for antigen retrieval, **37**
myofibroblasts, Interstitial myofibroblasts: predictors of progression in membranous nephropathy, **123**

nasal polyps, Determination of proliferative activity in nasal polyps, **923**
near-patient testing, Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins, **951**
necropsy, A simple technique for identifying the adrenal glands at necropsy, **263**
Alcohol estimation at necropsy: epidemiology, economics, and the elderly, **197**
Alcohol estimation at necropsy: epidemiology, economics and the elderly: *correspondence*, **796**
Attitudes of medical students to necropsy, **64**
Audit of necropsy reporting in East Anglia, **691**
Fatal pulmonary embolism in hospitalised medical patients, **609**
The use of histopathology in the practice of necropsy, **695**
necrotic nodule, Tumorous necrotic nodule in the liver: unexpected effect of the microwave tissue coagulator, **703**
neovascularisation, Angiogenesis and inflammation in invasive carcinoma of the breast, **669**
nephrotic morphometry, Semiautomatic quantitation of macrophages in human renal biopsy specimens in proteinuric states, **118**
neuroendocrine malignancy, Widespread neuroendocrine malignancy within the central nervous system: A diagnostic conundrum, **440**
neurological disease, Cerebrospinal fluid plasminogen activator inhibitor-1 in patients with neurological disease, **157**
neurological paraneoplastic syndromes, Neurological paraneoplastic syndromes: *leader*, **975**
neuropathology, Pathological approach to the diagnosis of hydrocephalus: *leader*, **181**
nick end labelling, Detection of apoptosis by the TUNEL technique in clinically localised prostatic cancer before and after combined endocrine therapy, **384**
nicotine, Possible lethal enhancement of toxins from putative periodontopathogens by nicotine: implications for periodontal disease, **245**
non-Hodgkin's lymphoma, Childhood non-Hodgkin's lymphomas in the United Kingdom: *correspondence*, **709**
Topoisomerase IIα mRNA and tumour cell proliferation in non-Hodgkin's lymphoma, **22**
non-insulin dependent diabetes, Fetal and infant origins of adult disease: *editorial*, **359**
NS3 genes, Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
nurses, Costs and effectiveness of a nurse specialist anticoagulant service, **823**

observer variation, A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**
obstructive airways disease, Bronchial mucoepidermoid carcinoma after allogeneic bone marrow transplantation, **969**
oesophageal cancer, Expression of E-cadherin in oesophageal carcinomas from the UK and China: disparities in prognostic significance, **640**
Lack of correlation of P-glycoprotein expression with response to MIC chemotherapy in oesophageal cancer: *correspondence*, **534**
oestrogen, Effects of oestrogen on the extracellular matrix in the endometrium of postmenopausal women, **755**
oestrogen receptors, Oestrogen and progesterone receptor assessment in core biopsy specimens of breast carcinoma, **27**
Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
oil immersion lens, Oil immersion magnification without the oil: *correspondence*, **797**
oncology, Flow cytometry and applications in oncology: *leader*, **275**
operation, Dilutional hyponatraemia: a cause of massive fatal intraoperative cerebral oedema in a child undergoing renal transplantation, **444**
oral anticoagulant control, Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
osteoarthritis, Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues, **314**
osteoblast, Differential patterns of osteoblast dysfunction in trabecular bone in patients with established osteoporosis, **760**
osteoclasts, Giant cells in pigmented villo nodular synovitis express an osteoclast phenotype, **605**
osteoporosis, Differential patterns of osteoblast dysfunction in trabecular bone in patients with established osteoporosis, **760**
ovarian cancer, Mucinous cystadenoma of the appendix with raised serum carcinoembryonic antigen concentration: clinical and pathological features, **613**
ovary, Ovarian granulomas: a report of 32 cases, **324**

P-170, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
p21/Cip1, Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**
p21$^{WAF1/CIP1}$, Expression of p21$^{WAF1/CIP1}$ in fetal and adult tissues: simultaneous analysis with Ki67 and p53, **645**
p53, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
Apoptosis in human hepatocellular carcinoma and in liver cell dysplasia is correlated with p53 protein immunoreactivity, **394**
Detection of p53 in inflammatory tissue and lymphocytes using immunohistology and flow cytometry: a critical comment, **654**
Expression of p21$^{WAF1/CIP1}$ in fetal and adult tissues: simultaneous analysis with Ki67 and p53, **645**
Immunoexpression of c-erbB-2 and p53 in benign and malignant salivary neoplasms with myoepithelial differentiation, **661**
p53 gene product expression in resected non-small cell carcinoma of the lung, with studies of concurrent cytological preparations and microwave antigen retrieval, **320**
Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix, **413**
p53 antibodies, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
p63, The plasma cell associated antigen detectable by antibody VS38 is the p63 rough endoplasmic reticulum protein, **485**
pancreatic cyst, Lymphoepithelial cyst of the pancreas, **794**
pancreatic insufficiency, Abnormal pancreolauryl tests in coeliac disease: lack of correlation with the degree of intestinal mucosal damage, **1001**
pancreolauryl test, Abnormal pancreolauryl tests in coeliac disease: lack of correlation with the degree of intestinal mucosal damage, **1001**

paraffin wax embedded sections, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
paraganglioma, Widespread neuroendocrine malignancy within the central nervous system: A diagnostic conundrum, **440**
parasite morphology, *Enterocytozoon bieneusi* in AIDS: symptomatic relief and parasite changes after furazolidone, **472**
parvovirus B19, Detection of parvovirus B19 in macerated fetal tissue using in situ hybridisation, **749**
pathogenic Enterobacteriaceae, Resistance to ciprofloxacin in pathogenic Enterobacteriaceae in England and Wales in 1996, **1027**
pathological reporting, Colorectal cancer reporting: are we failing the patient?: *editorial*, **266**
pathology, A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**
pathology services, Lessons for the laboratory from a general practitioner survey, **283**
penicillin binding proteins, An outbreak of penicillin resistant *Streptococcus pneumoniae* investigated by a polymerase chain reaction based genotyping method, **847**
penicillin resistance, An outbreak of penicillin resistant *Streptococcus pneumoniae* investigated by a polymerase chain reaction based genotyping method, **847**
peptic duodenitis, Peptic duodenitis—does it exist in the second part of the duodenum?, **54**
peptic ulcer, Serum CagA antibodies in asymptomatic subjects and patients with peptic ulcer: *correspondence*, **620**
perforin, Detection of perforin and tumour necrosis factor α mRNA expressing cells in sclerosing lymphocytic lobulitis of the breast, **310**
performance survey, Lessons for the laboratory from a general practitioner survey, **283**
periodontopathogens, Possible lethal enhancement of toxins from putative periodontopathogens by nicotine: implications for periodontal disease, **245**
peripheral blood stem cell, Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
peroxidase anti-peroxidase, Comparative analysis of biotin intranuclear inclusions of gestational endometrium using the APAAP, ABC and the PAP immunodetection systems, **153**
P-glycoprotein, A new mdr-1 encoded P-170 specific monoclonal antibody: (6/1C) on paraffin wax embedded tissue without pretreatment of sections, **465**
phaeochromocytoma, Leu-M1 immunoreactivity and phaeochromocytoma, **168**
placenta, *Chlamydia trachomatis* detected in human placenta, **852**
plasma calibrant, Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
plasma cells, CD31 (JC70) expression in plasma cells: an immunohistochemical analysis of reactive and neoplastic plasma cells, **490**
The plasma cell associated antigen detectable by antibody VS38 is the p63 rough endoplasmic reticulum protein, **485**
plasminogen activator inhibitor-1, Cerebrospinal fluid plasminogen activator inhibitor-1 in patients with neurological disease, **157**
platelet, Laboratory investigation of immune thrombocytopenia: *leader*, **5**
pleural biopsy, Quantitation in inflammatory pleural disease to distinguish tuberculous and paramalignant from chronic non-specific pleuritis, **935**
polymerase chain reaction, An outbreak of penicillin resistant *Streptococcus pneumoniae* investigated by a polymerase chain reaction based genotyping method, **847**
Analysis of T cell receptor β chain CDR3 size using RNA extracted from formalin fixed paraffin wax embedded tissue, **811**
Detection of CMV DNA in bone marrow transplant recipients: plasma versus leucocyte polymerase chain reaction, **231**
Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Evaluation of 2-SP transport medium for detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* by two automated amplification systems and culture for chlamydia, **947**
Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing, **288**
HIV-1 detection by nested PCR and viral culture in fresh or cryopreserved postmortem skin: potential implications for skin handling and allografting, **481**
Lowering the cut off value of an automated chlamydia enzyme immunoassay and confirmation by PCR and direct immunofluorescent antibody test, **681**
Mastocytosis: reactive or neoplastic?, **525**
Standardisation of polymerase chain reaction for the detection of *Salmonella typhi* in typhoid fever, **437**
The polymerase chain reaction in pathology, **805**
polymorphism (p15, p16), Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
polyp, A solitary benign lymphoid polyp of the rectum in a 51 year old woman, **1034**
polyploidy, Numerical chromosomal aberrations in Hodgkin's disease detected by in situ hybridisation on routine paraffin sections, **553**
possession, Rights of possession in human corpses: *editorial*, **90**
postpartum, A fatal postpartum *Clostridium sordellii* associated toxic shock syndrome, **259**
postmenopausal, Endometrial ossification in a postmenopausal woman, **171**
postmenopausal endometrium, Effects of oestrogen on the extracellular matrix in the endometrium of postmenopausal women, **755**
postmortem skin, HIV-1 detection by nested PCR and viral culture in fresh or cryopreserved postmortem skin: potential implications for skin handling and allografting, **481**
pRB, Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer, **407**
predictive value, To operate or not to operate? The value of fine needle aspiration cytology in the assessment of thyroid swellings, **941**
pregnancy, Elevated serum sialic acid in pregnancy, **494**
primary angiodysplasia, Late stage congestive gastropathy, **350**
primary epithelioid haemangioendothelioma, Primary epithelioid haemangioendothelioma of the liver: case report and review of the literature, **1029**
proficiency testing, Is proficiency testing in cervical cytology proficient?: *editorial*, **536**
Is the proficiency test in cervical cytology proficient?: *leader*, **450**
progesterone receptors, Oestrogen and progesterone receptor assessment in core biopsy specimens of breast carcinoma, **27**
Quantitative enzyme immunoassay and semiquantitative immunohistochemistry of oestrogen and progesterone receptors in endometriotic tissue and endometrium, **496**
prognosis, Detection of HPV-16 DNA by PCR in histologically cancer free lymph nodes from patients with cervical cancer, **960**
Epithelioid sarcoma of the tongue, **869**
Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix, **33**
prognostic factors, Completeness of reporting on prognostic factors for breast cancer: a regional survey, **829**
prognostic features, Flow cytometric DNA hypertetraploidy is associated with unfavourable prognostic features in breast cancer, **591**
proliferation, Determination of proliferative activity in nasal polyps, **923**
proliferation indexes, Proliferation indexes—a comparison between cutaneous basal and squamous cell carcinomas: *correspondence*, **355**
prostate specific antigen, Biopsy diagnosis of prostatic cancer—current areas of concern: *editorial*, **265**
prostatic cancer, Biopsy diagnosis of prostatic cancer—current areas of concern: *editorial*, **265**
Detection of apoptosis by the TUNEL technique in clinically localised prostatic cancer before and after combined endocrine therapy, **384**
prostatic intraepithelial neoplasia, Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**
prothrombin time, Calculation of System International Sensitivity Index: how many calibrant plasmas are required?, **40**
Field study of lyophilised plasmas for local prothrombin time calibration in the Netherlands, **371**
Local INR correction: justification for a simplified approach, **783**
Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins, **951**
protocols, Colorectal cancer pathology reporting: a regional audit, **138**
pseudomembranous appendicitis, Involvement of the appendix in pseudomembranous colitis, **70**
pseudomembranous colitis, Involvement of the appendix in pseudomembranous colitis, **70**
pseudotumour, Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: *correspondence*, **620**
pulmonary alveolar proteinosis, Pulmonary alveolar proteinosis: diagnosis using routinely processed smears of bronchoalveolar lavage fluid, **981**
pulmonary embolism, Fatal pulmonary embolism in hospitalised medical patients, **609**

quality, Colorectal cancer pathology reporting: a regional audit, **138**
quantitative ELISA, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**

random amplified polymorphic DNA (RAPD), Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**
rank difference, Diagnostic distance of high grade prostatic intraepithelial neoplasia from normal prostate and adenocarcinoma, **775**
rapid review, Rapid review of cervical cytology: *correspondence*, **87**
reactivation, Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**

recurrent hepatocellular carcinoma, Origin of hepatocellular carcinoma recurring after allotransplantation revealed by microsatellite analysis, **792**
reference intervals, Effect of low to moderate levels of smoking and alcohol consumption on serum immunoglobulin concentrations, **819**
renal cell carcinoma, Expression of the interleukin 6 receptor in primary renal cell carcinoma, **835**
replication error, Altered microsatellites in incomplete-type intestinal metaplasia adjacent to primary gastric cancers, **841**
resident flora, Frequency of pathogenic and enteroadherent *Escherichia coli* in patients with inflammatory bowel disease and controls, **573**
retinoblastoma, Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix, **413**
retrovirus, Retrovirus in salivary glands from patients with Sjögren's syndrome, **223**
reverse transcriptase-polymerase chain reaction, Analysis of T cell receptor β chain CDR3 size using RNA extracted from formalin fixed paraffin wax embedded tissue, **811**
rhabdomyosarcoma, Paediatric rhabdomyosarcoma: MyoD1 demonstration in routinely processed tissue sections using wet heat pretreatment (pressure cooking) for antigen retrieval, **37**
rheumatoid arthritis, Detection of p53 in inflammatory tissue and lymphocytes using immunohistology and flow cytometry: a critical comment, **654**
Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues, **314**
rights, Rights of possession in human corpses: *editorial*, **90**
Rosai-Dorfman disease, Inflammatory pesudotumour and Rosai-Dorfman disease of soft tissue: *correspondence*, **620**
Inflammatory pseudotumour and Rosai-Dorfman disease of soft tissue: a histological continuum?, **79**
rough endoplasmic reticulum, The plasma cell associated antigen detectable by antibody VS38 is the p63 rough endoplasmic reticulum protein, **485**

salivary gland neoplasms, Immunoexpression of c-erbB-2 and p53 in benign and malignant salivary neoplasms with myoepithelial differentiation, **661**
Salmonella typhi, Serological response of patients infected with *Salmonella typhi* , **944**
Standardisation of polymerase chain reaction for the detection of *Salmonella typhi* in typhoid fever, **437**
screening, Colorectal cancer reporting: *correspondence*, **881**
sensitivity, Sputum cytology: a limited role, **566**
sensitivity testing, Resistance to ciprofloxacin in pathogenic Enterobacteriaceae in England and Wales in 1996, **1027**
serodiagnosis, Serological response of patients infected with *Salmonella typhi* , **944**
serology, Laboratory investigation of immune thrombocytopenia: *leader*, **5**
serum amyloid A, Systemic reactive amyloidosis associated with Castleman's disease: serial changes of the concentrations of acute phase serum amyloid A and interleukin 6 in serum, **965**
shigellosis, Quantitative assessment of IgG and IgA subclass producing cells in rectal mucosa during shigellosis, **513**
shock, A fatal postpartum *Clostridium sordellii* associated toxic shock syndrome, **259**
short tandem repeats, Origin of hepatocellular carcinoma recurring after allotransplantation revealed by microsatellite analysis, **792**
sialic acid, Elevated serum sialic acid in pregnancy, **494**
signal transduction, Cytokine research: the interferon paradigm, **635**
signet ring cell, Early diagnosis of signet ring cell carcinoma of the stomach: role of the Genta stain, **867**
Kikuchi's lymphadenitis and carcinoma of the stomach, **530**
single strand conformation, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
single strand conformation polymorphism, Mutation analysis of the p53, APC, and p16 genes in the Barrett's oesophagus, dysplasia, and adenocarcinoma, **212**
Sjögren's syndrome, Retrovirus in salivary glands from patients with Sjögren's syndrome, **223**
skin, A nationwide survey of observer variation in the diagnosis of thin cutaneous malignant melanoma including the MIN terminology, **202**
slide agglutination, Comparison of commercial slide agglutination kits with a tube coagulase test for the rapid identification of *Staphylococcus aureus* from blood culture, **164**
small intestine, β, Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
Ulceration of the ileum in Crohn's disease: correlation with vascular anatomy, **1013**
smell, Screening for bacterial vaginosis: a novel application of artificial nose technology, **790**
smoking, Effect of low to moderate levels of smoking and alcohol consumption on serum immunoglobulin concentrations, **819**
solitary cystic dilatation, Solitary cystic dilatation of the intrahepatic bile duct, **617**
soluble interleukin 2 receptor, Common variable immunodeficiency with CD4+ T lymphocytopenia and overproduction of soluble IL-2 receptor associated with Turner's syndrome and dorsal kyphoscoliosis, **876**
specificity, Sputum cytology: a limited role, **566**
splenectomy, Fatal *Campylobacter jejuni* infection in a patient splenectomised for thalassaemia, **436**
Intrahepatic splenic tissue, **532**
sporicidal agents, Sporicidal activity of chemical and physical tissue fixation methods, **429**
sputum cytology, Sputum cytology: a limited role, **566**
squamous differentiation, Cytokeratin 14 as a marker of squamous differentiation in transitional cell carcinomas, **1032**
stains, Tinctorial methods in histology: *leader*, **716**
standardisation, A scoring system for immunohistochemical staining: consensus report of the task force for basic research of the EORTC-GCCG: *leader*, **801**
Staphylococcus aureus, Comparison of commercial slide agglutination kits with a tube coagulase test for the rapid identification of *Staphylococcus aureus* from blood culture, **164**
stereology, A scoring system for immunohistochemical staining: consensus report of the task force for basic research of the EORTC-GCCG: *leader*, **801**
stomach, Analysis of TH1 and TH2 cytokine production in low grade B cell gastric MALT-type lymphomas stimulated in vitro with *Helicobacter pylori* , **957**
β, Microglobulin haemodialysis related amyloidosis: distinctive gross features of gastrointestinal involvement, **873**
Kikuchi's lymphadenitis and carcinoma of the stomach, **530**
Streptococcus milleri, Lancefield grouping and smell of caramel for presumptive identification and assessment of pathogenicity in the *Streptococcus milleri* group, **332**
Streptococcus pneumoniae, An outbreak of penicillin resistant *Streptococcus pneumoniae* investigated by a polymerase chain reaction based genotyping method, **847**
Strongyloides stercoralis, Intestinal immune cells in *Strongyloides stercoralis* infection, **991**
2-sucrose-phosphate medium, Evaluation of 2-SP transport medium for detection of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* by two automated amplification systems and culture for chlamydia, **947**
survival, Cathepsin D detected by automated and quantitative immunohistochemistry in breast carcinomas: correlation with overall and disease free survival, **586**
syndrome X, Fetal and infant origins of adult disease: *editorial*, **359**
synovial macrophage, Giant cells in pigmented villo nodular synovitis express an osteoclast phenotype, **605**
systemic lupus erythematosus, Antiphospholipid syndrome: *editorial*, **973**
Atypical manifestations in a patient with systemic lupus erythematosus, **174**

T cell receptor, Analysis of T cell receptor β chain CDR3 size using RNA extracted from formalin fixed paraffin wax embedded tissue, **811**
T lymphocytes, Intestinal immune cells in *Strongyloides stercoralis* infection, **991**
telomerase, Molecular pathogenesis of aging and cancer: are telomeres and telomerase the connection?: *editorial*, **799**
Telomerase activity and in situ telomerase RNA expression in malignant and non-malignant lymph nodes, **110**
Telomerase activity in human gynaecological malignancies, **501**
Telomerase in the early detection of cancer: *leader*, **106**
telomeres, Molecular pathogenesis of aging and cancer: are telomeres and telomerase the connection?: *editorial*, **799**
tenascin, Expression of tenascin in lymphocytic autoimmune thyroiditis, **863**
terminology, Solitary cystic dilatation of the intrahepatic bile duct, **617**
thalassaemia, Fatal *Campylobacter jejuni* infection in a patient splenectomised for thalassaemia, **436**
thin melanoma, Diagnosis of thin melanoma: *correspondence*, **619**
MIN terminology: *correspondence*, **619**
thrombocytopenia, Laboratory investigation of immune thrombocytopenia: *leader*, **5**
Thrombolytic Assessment System, Monitoring oral anticoagulant treatment with the TAS near-patient test system: comparison with conventional thromboplastins, **951**
thrombomodulin, HBME-1 and antithrombomodulin in the differential diagnosis of malignant mesothelioma of pleura, **859**
thromboplastin standards, Calculation of System International Sensitivity Index: how many calibrant plasmas are required?, **40**
Local INR correction: justification for a simplified approach, **783**
thrombosis, Antiphospholipid syndrome: *editorial*, **973**
thyroid, Lithium associated autoimmune thyroiditis, **172**
thyroid nodules, Correlation of fine needle aspiration cytology and frozen section biopsies in the diagnosis of thyroid nodules, **1005**
To operate or not to operate? The value of fine needle aspiration cytology in the assessment of thyroid swellings, **941**
tinctorial methods, Tinctorial methods in histology: *leader*, **716**

tissue preparation, Tissue preparation for immunocytochemistry, **422**
tissue typing, Genetic analysis of hydatidiform moles in paraffin wax embedded tissue using rapid, sequence specific PCR-based HLA class II typing, **288**
tongue, Epithelioid sarcoma of the tongue, **869**
topoisomerase IIα mRNA, Topoisomerase IIα mRNA and tumour cell proliferation in non-Hodgkin's lymphoma , **22**
toxins, A fatal postpartum *Clostridium sordellii* associated toxic shock syndrome, **259**
Possible lethal enhancement of toxins from putative periodontopathogens by nicotine: implications for periodontal disease, **245**
trabecular bone, Differential patterns of osteoblast dysfunction in trabecular bone in patients with established osteoporosis, **760**
transcriptional regulation, Co-localisation of insulin-like growth factor II and the proliferation marker MIB1 in hepatocellular carcinoma cells, **135**
transitional cell carcinoma, Cytokeratin 14 as a marker of squamous differentiation in transitional cell carcinomas, **1032**
Prevalence of six types of human papillomavirus in inverted papilloma and papillary transitional cell carcinoma of the bladder: an evaluation by polymerase chain reaction, **1018**
Urethral malignant melanoma closely mimicking urothelial carcinoma, **250**
transmission, Evidence of transmission of *Mycobacterium tuberculosis* by random amplified polymorphic DNA (RAPD) fingerprinting in Taipei City, Taiwan, **505**
Trichuris trichiura Colonic obstruction and perforation related to heavy *Trichuris trichiura* infestation, **615**
Plasma proteins in children with trichuris dysentery syndrome, **236**
triglycerides, Investigation of dyslipidaemias: *leader,* **721**
TTF-1, Immunocytochemical expression of tissue specific transcription factor-1 in lung carcinoma, **30**
tumour necrosis factor, Detection of perforin and tumour necrosis factor α mRNA expressing cells in sclerosing lymphocytic lobulitis of the breast, **310**
tumour recurrence, Tumour recurrence is associated with Jass grouping but not with differences in E-cadherin expression in moderately differentiated Dukes' B colorectal cancers, **218**
tumour suppressor genes, Deletion and methylation of the tumour suppressor gene p16/CDKN2 in primary head and neck squamous cell carcinoma, **509**
Mutation analysis of the p53, APC, and p16 genes in the Barrett's oesophagus, dysplasia, and adenocarcinoma, **212**
Turner's syndrome, Common variable immunodeficiency with CD4+ T lymphocytopenia and overproduction of soluble IL-2 receptor associated with Turner's syndrome and dorsal kyphoscoliosis, **876**
type IV collagen, Increased serum concentrations of type IV collagen and laminin associated with granulosa cell tumour of the ovary, **77**
type specificity, Automated type specific ELISA probe detection of amplified NS3 gene products of dengue viruses, **346**
typhoid, Serological response of patients infected with *Salmonella typhi* , **944**
Standardisation of polymerase chain reaction for the detection of *Salmonella typhi* in typhoid fever, **437**
tyramide, An enhanced immunocytochemical method for staining bone marrow trephine sections, **389**

ulcerative colitis, Detection and comparative analysis of persistent measles virus infection in Crohn's disease by immunogold electron microscopy, **299**
Histological patchiness and sparing of the rectum in ulcerative colitis: refuting the dogma: *correspondence,* **354**
unrelated donor bone marrow transplantation, Unrelated donor bone marrow transplantation: its use in leukaemias and allied disorders: *editorial,* **91**
urethra, Urethral malignant melanoma closely mimicking urothelial carcinoma, **250**
urinary tissue factor, Urinary tissue factor in glomerulonephritis: a potential marker of glomerular injury?, **336**
urinary tract infection, A urine analysis method suitable for children's nappies, **569**
urine analysis, A urine analysis method suitable for children's nappies, **569**
urokinase receptor, Differential expression of the urokinase receptor (CD87) in arthritic and normal synovial tissues, **314**
urticaria-angio-oedema, Hashimoto's thyroiditis associated with urticaria and angio-oedema: disappearance of cutaneous and mucosal manifestations after thyroidectomy, **254**
uterine carcinosarcomas, The hormonal receptor status of uterine carcinosarcomas (mixed Müllerian tumours): an immunohistochemical study, **328**
uterine cervical carcinoma, Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix, **413**
uterine cervix, Analysis of HPV16, 18, 31, and 35 DNA in pre-invasive and invasive lesions of the uterine cervix, **600**
uterine mixed Müllerian tumours, The hormonal receptor status of uterine carcinosarcomas (mixed Müllerian tumours): an immunohistochemical study, **328**

vaccination, Designing a malaria vaccine: *editorial,* **535**
villo nodular synovitis, Giant cells in pigmented villo nodular synovitis express an osteoclast phenotype, **605**
viral culture, HIV-1 detection by nested PCR and viral culture in fresh or cryopreserved postmortem skin: potential implications for skin handling and allografting, **481**
viral diagnosis, Electron microscopy and viral diagnosis, **454**
virilisation, Girls with virilisation in childhood: a diagnostic protocol for investigation, **379**
virus morphology, Electron microscopy and viral diagnosis, **454**
virus persistence, Persistence of hepatic hepatitis B virus after serological clearance of HBsAg with autologous peripheral stem cell transplantation, **706**
vitamin A, Micronutrients and immune function: some recent developments: *leader,* **887**
vitamin C, Micronutrients and immune function: some recent developments: *leader,* **887**
vulvovaginal candidiasis, Use of CHROMagar Candida for genital specimens in the diagnostic laboratory, **563**

western blot, A novel quantitative immunoassay system for p53 using antibodies selected for optimum designation of p53 status, **143**
wet heat processing, Paediatric rhabdomyosarcoma: MyoD1 demonstration in routinely processed tissue sections using wet heat pretreatment (pressure cooking) for antigen retrieval, **37**

Yersinia enterocolitica, Fatal *Yersinia enterocolitica* transfusion reaction: *correspondence,* **796**

zinc, Micronutrients and immune function: some recent developments: *leader,* **887**